

Epson EcoTank ET-M3180

Brand : Epson

Product family: EcoTank

Product code: C11CG93402BY

Product name : EcoTank ET-M3180

- Low TCO and energy use: Keep your printing costs extremely low
- High ink yields: Print up to 11,000 pages with the included ink
- Save time: Print, scan, copy and fax
- Built for business: Duplex printing and PCL support
- Easy connectivity: Wi-Fi, USB and Ethernet

A4, Auto Duplex, 1200 x 2400DPI, Inkjet Monochrome printing, PCL5c/PCL5e/PCL6, CIS Scanner, Fax 33.6kb/s, USB, Ethernet, Wi-Fi

Epson EcoTank ET-M3180. Print technology: Inkjet, Printing: Mono printing, Maximum resolution: 1200 x 2400 DPI. Copying: Mono copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Faxing: Colour faxing. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: White



Printing		Network	
Print technology *	Inkjet	Mobile printing technologies	Apple AirPrint, Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, Epson Scan to Cloud, Google Cloud Print
Printing *	Mono printing		
Duplex printing *	✓		
Maximum resolution *	1200 x 2400 DPI		
Print speed (black, normal quality, A4/US Letter) *	39 ppm	Performance	
Print speed (ISO/IEC 24734) black	20 ppm	Internal memory *	2 MB
Duplex print speed (black, normal quality, A4/US Letter)	9 ppm	Sound pressure level (printing)	56 dB
Duplex print speed (ISO/IEC 24734, A4) black	9 ppm	Design	
Time to first page (black, normal)	6 s	Product colour *	White
Copying		Market positioning *	Home & office
Copying *	Mono copying	Built-in display *	✓
Maximum copy resolution *	600 x 600 DPI	Display	LCD
Maximum number of copies	99 copies	Display diagonal	6.1 cm (2.4")
Copier resize	25 - 400%	Touchscreen	✓
Scanning		Control type	Touch
Scanning *	Colour scanning	Colour display	✓
Optical scanning resolution *	1200 x 2400 DPI	Power	
Scanner type *	Flatbed & ADF scanner	Power consumption (printing)	14 W
Scan technology	CIS	Power consumption (copying)	12 W
Scan to	Cloud	Energy Star Typical Electricity Consumption (TEC)	0.2 kWh/week
Scan speed (black)	7 inch/min	AC input voltage	220 - 240 V
Scan speed (colour)	7 inch/min	System requirements	
Image formats supported	BMP, JPEG, PICT, TIFF, MTIFF, PNG	Windows operating systems supported	✓
Document formats supported	PDF	Mac operating systems supported	✓

Fax		System requirements		
Faxing *	Colour faxing	Server operating systems supported	Windows Server 2008, Windows Server 2008 R2, Windows Server 2008 x64, Windows Server 2012 R2, Windows Server 2012 x64, Windows Server 2016	
Fax transmission speed	3 sec/page			
Modem speed	33.6 Kbit/s			
Fax memory	180 pages			
Auto-redialing	✓			
Speed dialling	✓	Sustainability		
Fax speed dialling (max numbers)	100	Sustainability certificates	ENERGY STAR	
Fax forwarding	✓	Weight & dimensions		
Fax forwarding to	PC	Width	375 mm	
Error Correction Mode (ECM)	✓	Depth	347 mm	
		Height	346 mm	
		Weight	7.3 kg	
Features		Packaging data		
Recommended duty cycle	250 - 1500 pages per month	Package width	410 mm	
Maximum duty cycle *	5000 pages per month	Package depth	440 mm	
Printing colours *	Black	Package height	420 mm	
Page description languages	PCL 5c, PCL 5e, PCL 6	Package weight	9.29 kg	
Country of origin	Philippines	Quantity per pack	1 pc(s)	
Input & output capacity		Packaging content		
Total number of input trays *	1	Warranty card	✓	
Total input capacity *	250 sheets	Logistics data		
Total output capacity *	100 sheets	Harmonized System (HS) code	84433100	
Paper input type	Paper tray	Products per pallet layer	2 pc(s)	
Auto document feeder (ADF)	✓	Products per pallet	10 pc(s)	
Auto document feeder (ADF) input capacity	35 sheets	Products per pallet layer (UK)	4 pc(s)	
Maximum input capacity	250 sheets	Products per pallet (UK)	20 pc(s)	
Paper handling		Technical details		
Maximum ISO A-series paper size *	A4	Box contents	Main unit, Power cable, Warranty document, X2 ink bottles	
Paper tray media types *	Envelopes, Plain paper	Safety warning	Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.	
Multi-purpose tray media types	Envelopes, Executive, Plain paper		Always follow the information on the product label.	
ISO A-series sizes (A0...A9) *	A4, A5, A6	Other features		
ISO B-series sizes (B0...B9)	B5, B6	Printing method	Epson PrecisionCore	
Non-ISO print media sizes	Executive, Legal, Letter	Colour printing technology	Pigment ink	
Envelopes sizes	10, C6, DL	Print head	PrecisionCore™ TFP print head	
Paper tray media weight	64 - 256 g/m²	Compatible operating systems	Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.11.x, Mac OS X 10.12.x, Mac OS X 10.13.x, Mac OS X 10.6.8, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2003 R2 x64, Windows Server 2003 SP2, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit)	
Ports & interfaces			Emulations	PCL5e, PCL6, PCL5c
Direct printing *	✓		Ink drop	2.8 pl
USB port	✓		Print head nozzles	400 Nozzles Black
			All-in-one functions	Scan, Copy, Fax, Print
Network		Interface	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet interface (100 Base-TX / 10 Base-T), Wi-Fi Direct, Wireless LAN IEEE 802.11b/g/n	
Wi-Fi *	✓			
Ethernet LAN *	✓			
Security algorithms	64-bit WEP, 128-bit WEP, WPA2-PSK			

Other features

Supported network protocols	TCP/IPv4, TCP/IPv6
Print speed	39 pages/min Monochrome (plain paper 75 g/m ²)



8715946655222

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.