



Lindy 4K HDMI & USB over IP Extender, Receiver

Brand : Lindy

Product code: 38267

Product name : 4K HDMI & USB over IP Extender, Receiver



- Extends HDMI 4K (3840x2160p60Hz 4:2:0) or VGA (max 1920x1200) Video signals over a Gigabit IP network
- Supports point to point installation up to 100m (393ft) and point to multipoint installation using a Gigabit Switch (also for Video Wall creation)
- Extends USB 2.0 and HID signals for KVM functions
- Extends bidirectional analog audio, bidirectional IR and RS232 signals
- HDMI 2.0 & HDCP 2.2/1.4 compliant

4K HDMI & USB Over IP Extender - Receiver

Lindy 4K HDMI & USB over IP Extender, Receiver. Type: AV receiver, Maximum resolution: 3840 x 2160 pixels, Cable types supported: Cat6. Connectivity technology: Wired, USB connector type: USB Type-A, Serial interface type: RS-232. Operating voltage: 5 V, Input current: 4 A. Width: 235 mm, Depth: 25 mm, Height: 108 mm. Package width: 225 mm, Package depth: 190 mm, Package height: 80 mm



Features		Ports & interfaces	
Type *	AV receiver	DC-in jack	✓
Maximum resolution *	3840 x 2160 pixels	Power	
Cable types supported	Cat6	Operating voltage	5 V
Maximum transfer distance	100 m	Input current	4 A
Maximum refresh rate	60 Hz	Operational conditions	
LED indicators	Link, Power	Operating temperature (T-T)	0 - 40 °C
Supported graphics resolutions	1920 x 1200 (WUXGA), 3840 x 2160	Storage temperature (T-T)	-20 - 60 °C
Bandwidth	10.2 Gbit/s	Operating relative humidity (H-H)	20 - 90%
HDCP	✓	Weight & dimensions	
Material	Metal	Width	235 mm
HDCP version	2.2	Depth	25 mm
Product colour	Black	Height	108 mm
Certification	CE, FCC, REACH	Weight	670 g
Ports & interfaces		Packaging data	
Connectivity technology *	Wired	Package width	225 mm
RJ-45 output ports	3	Package depth	190 mm
VGA (D-Sub) output ports	1	Package height	80 mm
Number of HDMI outputs	1	Package weight	1.4 kg
HDMI version	2.0	Packaging content	
USB ports quantity	4	AC adapter included	✓
USB version	2.0	Manual	✓
USB connector type	USB Type-A	IR blaster included	✓
Digital audio optical out	1	IR receiver included	✓
Serial ports quantity	1	Technical details	
Serial interface type	RS-232	Compliance certificates	RoHS



4002888382670



4002888355247

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.