

## Epson TM-T20III (011A0) 203 x 203 DPI Wired Direct thermal POS printer

**Brand :** Epson

**Product code:** C31CH51011A0

**Product name :** TM-T20III (011A0)



Thermal line, 250mm/sec, 203 x 203 DPI, USB 2.0 Type B, RS-232

Epson TM-T20III (011A0). Print technology: Direct thermal, Type: POS printer, Maximum resolution: 203 x 203 DPI. Maximum roll diameter: 8.3 cm, Supported paper width: 80 mm. Connectivity technology: Wired, USB connector: USB Type-B, Serial interface type: RS-232. Sound pressure level (printing): 55 dB, Mean time between failures (MTBF): 360000 h, Autocutter durability: 1.5 million cuts. Product colour: Black

<b>Printing</b>		<b>Operational conditions</b>	
Colour	✗	Storage temperature (T-T)	-10 - 50 °C
Maximum resolution	203 x 203 DPI	Operating relative humidity (H-H)	10 - 90%
Print speed	250 mm/sec	Storage relative humidity (H-H)	10 - 90%
Print speed (receipt)	250 mm/sec	<b>Weight &amp; dimensions</b>	
Character density	22.6 cpi	Width	140 mm
Printing characters	Text, Graphic, Barcode	Depth	199 mm
Character sets	ANK	Height	146 mm
Print technology *	Direct thermal	Weight	1.7 kg
Type *	POS printer	<b>Packaging data</b>	
<b>Paper handling</b>		Quantity per pack	1 pc(s)
Maximum roll diameter	8.3 cm	Package width	192 mm
Supported paper width	80 mm	Package depth	335 mm
<b>Ports &amp; interfaces</b>		Package height	280 mm
USB port *	✓	Package weight	2.2 kg
USB connector	USB Type-B	<b>Packaging content</b>	
Serial interface *	✓	AC adapter included	✓
Serial interface type	RS-232	<b>Print technology</b>	
Connectivity technology *	Wired	Column capacity	48/64
Standard interfaces	RS-232, USB 2.0	<b>Logistics data</b>	
<b>Features</b>		Pallet weight (UK)	0 g
Sound pressure level (printing)	55 dB	Harmonized System (HS) code	84433210
Mean time between failures (MTBF)	360000 h	Products per master (outer) case	4 pc(s)
Cutter	✓	Master (outer) case width	400 mm
Half-cutter	✓	Master (outer) case length	490 mm
Autocutter durability	1.5 million cuts	Master (outer) case height	295 mm
Paper save function	✓	Master (outer) case gross weight	0 g
Print head life	150 km	Products per pallet	112 pc(s)
Country of origin	Philippines	Products per pallet layer	16 pc(s)
Mounting position	Horizontal/Vertical	Pallet gross weight	0 g

Features		Logistics data	
Wall mountable	✓	Products per pallet (UK)	168 pc(s)
Built-in sensors details	Paper End Sensor, Paper Near End Sensor	Products per pallet layer (UK)	24 pc(s)
Safety	UL, CSA, TÜV	Technical details	
Certification	FCC-Class A, CE, EN55022-Class A	Lifetime	15000000 lines
Design		Other features	
Product colour *	Black	Buffer size	4 KB
Power		Mean cycles between failures (MCBF)	60000000
AC input voltage	24 V	Print head life	150.000.000 Impulse
Power consumption	1800 mA		
Power consumption (standby)	100 mA		
Operational conditions			
Operating temperature (T-T)	5 - 45 °C		



8715946680453

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.