

Epson WorkForce DS-30000

Brand : Epson

Product family: WorkForce

Product code: B11B256401BY

Product name : WorkForce
DS-30000

- Space saving: Compact design without compromise on engineering quality
- Fast performance: Up to 70ppm/140ipm scanning at 200 or 300dpi colour
- Flexible scanning: Scan passports and bound media up to 6mm in thickness
- Control and security: Advanced paper handling with paper-protection sensors
- High capacity: Heavy duty 120-sheet document feeder (ADF)

70ppm, 140ipm, 600 DPI, USB 3.0, AC 100 V - 240 V

Epson WorkForce DS-30000. Maximum scan size: 304.8 x 5588 mm, Optical scanning resolution: 50 x 1200 DPI, Input colour depth: 10 bit. Scanner type: Sheet-fed scanner, Product colour: Black, White, Display: LCD. Sensor type: CIS, Daily duty cycle (max): 30000 pages, Scanning noise level: 64 dB. Auto document feeder (ADF) input capacity: 120 sheets. Maximum ISO A-series paper size: A3

Scanning		Weight & dimensions	
Maximum scan size *	304.8 x 5588 mm	Width	371 mm
Optical scanning resolution *	50 x 1200 DPI	Depth	208 mm
Colour scanning	✓	Height	219 mm
Duplex scanning *	✓	Weight	5.8 kg
Input colour depth	10 bit	Packaging data	
Output colour depth	8 bit	Quantity per pack	1 pc(s)
ADF scan speed (b/w, A4)	70 ppm	Package width	330 mm
Design		Package depth	460 mm
Scanner type *	Sheet-fed scanner	Package height	325 mm
Product colour *	Black, White	Package weight	7.5 kg
Display	LCD	Packaging content	
Display diagonal	6.81 cm (2.68")	Bundled software	Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Scan 2
Colour display	✓	System requirements	
Control type	Touch	Compatible operating systems	Mac OS 10.6+, Windows 10, Windows 10 (32/64 bit), Windows 11, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008 (32/64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP SP3
Built-in display *	✓		
Performance		Operational conditions	
Sensor type *	CIS	Operating temperature (T-T)	5 - 35 °C
Daily duty cycle (max) *	30000 pages	Storage temperature (T-T)	60 - 25 °C
Scanning noise level	64 dB	Operating relative humidity (H-H)	15 - 80%
Sound pressure level (max)	51 dB	Storage relative humidity (H-H)	15 - 85%
Input capacity		Other features	
Auto document feeder (ADF) input capacity	120 sheets	Image formats supported	BMP, JPEG, TIFF, MTIFF, PNG
Paper handling		Printer features	Advanced Colour Dropout / Enhance, Skip blank page, Punch holes removal, Automatic de-skew, RGB colour enhance, Auto-rotation, Text enhancement, Descreening, Barcode Recognition
Maximum ISO A-series paper size *	A3		Advanced Colour Dropout / Enhance, Skip blank page, Punch holes removal, Automatic de-skew, RGB colour enhance, Auto-rotation, Text enhancement, Descreening, Barcode Recognition
Ports & interfaces		Scanner features	
USB port *	✓		
USB version	3.2 Gen 1 (3.1 Gen 1)		
Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1)		
Power			
Power supply type *	AC		
Power consumption (typical)	17 W		
Power consumption (standby)	9 W		
Power consumption (off)	0.1 W		
Sleep mode	✓		
Input voltage	100 - 240 V		

Other features	
Box contents	AC adapter, Main unit, USB 3.0 cable, User guide, User manual (CD)
Interface	USB - compatible with USB 2.0 specification, USB 3.2 Gen 1x1
Logistics data	
Products per pallet	30 pc(s)
Country of origin	Indonesia
Products per pallet (UK)	42 pc(s)
Harmonized System (HS) code	84716070



8715946676579

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.