

## Epson C31C412682 label printer Direct thermal 203 x 203 DPI 90 mm/sec Wired



**Brand :** Epson

**Product code:** C31C412682

**Product name :** C31C412682

- Built-in taken sensor: Automatic next label printing
- Media flexibility: 1.5-inch, 2-inch or 3-inch media widths
- Speed: Print speeds of up to 170mm/sec
- Paper-saving: Improved paper reduction function
- Easy installation: Three mounting positions

Thermal Line, 90 mm/sec, 203 x 203 DPI, USB 2.0 Type B, RS-232, 4 kB

Epson C31C412682. Print technology: Direct thermal, Maximum resolution: 203 x 203 DPI, Print speed: 90 mm/sec. Connectivity technology: Wired, USB port. Supported paper width: 80 mm. Product colour: Grey

| Printing                            |                  | Operational conditions          |             |
|-------------------------------------|------------------|---------------------------------|-------------|
| Print technology *                  | Direct thermal   | Storage relative humidity (H-H) | 10 - 90%    |
| Maximum resolution *                | 203 x 203 DPI    | Operating temperature (T-T)     | 5 - 45 °C   |
| Print speed *                       | 90 mm/sec        | Storage temperature (T-T)       | -10 - 50 °C |
| Printing characters                 | Text, Graphic    | Weight & dimensions             |             |
| Paper handling                      |                  | Width                           | 140 mm      |
| Half-cutter                         | ✓                | Depth                           | 148 mm      |
| Maximum roll diameter               | 10.2 cm          | Height                          | 203 mm      |
| Supported paper width               | 80 mm            | Weight                          | 1.9 kg      |
| Autocutter durability               | 1 million cuts   | Packaging data                  |             |
| Ports & interfaces                  |                  | Quantity per pack               | 1 pc(s)     |
| Connectivity technology *           | Wired            | Package width                   | 195 mm      |
| USB port *                          | ✓                | Package depth                   | 255 mm      |
| Performance                         |                  | Package height                  | 240 mm      |
| Mean time between failures (MTBF)   | 360000 h         | Package weight                  | 2.76 kg     |
| Mean cycles between failures (MCBF) | 35000000         | Packaging content               |             |
| Cutter                              | ✓                | Manual                          | ✓           |
| Certification                       | VCCI-Class A, CE | Logistics data                  |             |
| Design                              |                  | Products per pallet (UK)        | 168 pc(s)   |
| Product colour *                    | Grey             | Pallet weight (UK)              | 0 g         |
| Power                               |                  | Harmonized System (HS) code     | 84433210    |
| AC input voltage                    | 24 V             | Pallet gross weight             | 0 g         |
| Power consumption                   | 1800 mA          | Products per pallet             | 112 pc(s)   |
| Operational conditions              |                  | Other features                  |             |
| Operating relative humidity (H-H)   | 10 - 90%         | Safety                          | TÜV         |
|                                     |                  | Buffer size                     | 4 KB        |
|                                     |                  | Character sets                  | ANK         |
|                                     |                  | Country of origin               | China       |



8715946680163

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.