

Epson SureColor SC-T5405 - wireless printer (with stand)

Brand : Epson

Product family: SureColor

Product code: C11CJ56301A1

Product name : SureColor SC-T5405 - wireless printer (with stand)

- Production flexibility: 110ml/350ml/700ml ink cartridges
 - POP Draft Mode: Print A0 posters in as little as 36 seconds
 - Unobtrusive design: Floor-standing to fit seamlessly into most environments
 - Ease of use - wireless printing: From your desktop or mobile device
 - Peace of mind: Unique Nozzle Verification Technology (NVT) helps prevent misprints
- Wireless, USB 3.0, Gigabit ethernet, Wi-Fi Direct, NVT, B5 - A0, 1385 x 750 x 1060 mm



Printing		Performance	
Print head nozzles	800 Nozzles Black, 800 Nozzles per Color	Sound pressure level (standby)	32 dB
Colour printing technology	Pigment ink, Ultrachrome® XD2	Sound pressure level (printing)	50 dB
Print technology *	Inkjet	Country of origin	Indonesia
Colour *	✓	Power	
Maximum resolution *	2400 x 1200 DPI	Power consumption (standby)	13 W
Number of print cartridges *	4	Power consumption (typical)	38 W
Page description languages *	ESC/P-R, HP-GL/2, HP-RTL	Power consumption (off)	0.25 W
Printing colours *	Yellow, Magenta, Cyan, Black	AC input voltage	100 - 240 V
Print cartridge volume (metric)	700 ml	AC input frequency	50 - 60 Hz
Print speed (normal quality, A1)	22 pph	System requirements	
Copying		Compatible operating systems	Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows Vista, Windows XP
Copying *	✗	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows Vista, Windows XP
Scanning		Mac operating systems supported	Mac OS X 10.6 Snow Leopard
Scanning *	✗	Weight & dimensions	
Input & output capacity		Width	1385 mm
Total number of input trays	2	Depth	750 mm
Paper handling		Height	1060 mm
Maximum print size *	A0 (841 x 1189 mm)	Weight	76 kg
Paper tray media types *	Bond paper, Coated paper, Glossy paper, Matte paper, Photo paper, Roll, Satin paper	Packaging data	
ISO A-series sizes (A0...A9)	A0, A1, A2, A3, A3+, A4	Package width	450 mm
ISO B-series sizes (B0...B9)	B1, B2, B3, B4, B5	Package depth	1550 mm
Cut sheets *	✓	Package height	1100 mm
Media thickness	0.05 - 0.3 mm	Package weight	112.6 kg
Print margin cut-sheet	3 x 3 x 20 x 3	Drivers included	✓
Roll top margin	3 mm	Manual	✓
Borderless printing width	11.81 inches, 12.99 inches, 15.98 inches, 20.28 inches, 33.11 inches, 10" (25.4cm) Roll, 17" (43.1cm) Roll, 24" (60.9cm) Roll, 36" (91.4cm) Roll	Other features	
Roll paper	✓	Line accuracy	+/-0.1
		Minimum line width	0.02 mm
		Touchscreen	✓
		Ink drop	4 pl, With Variable-Sized Droplet Technology
		Printer features	Touchscreen, Direct print from USB

Ports & interfaces		Other features	
Wi-Fi *	✓	Compatible products	WorkForce DS-6500, WorkForce DS-60000
Ethernet LAN *	✓		
USB port *	✓		
USB connector	USB Type-A / USB Type-B	Quantity per pack	1 pc(s)
Ethernet LAN data rates	10,100,1000 Mbit/s	Logistics data	
Direct printing	✓	Technical details	
Supported network protocols	TLS, SSL, IEE 802, SNMP, IPSec, IPv6	Box contents	AC cable, Ink set, Maintenance Tank, Printer Stand with stacking print basket, Setup guide, Spindle Unit(s), SureColor T-Series Printer, Warranty document
Mobile printing technologies	Apple AirPrint		
Security algorithms	SNMP, IPSec, TLS		
Performance		Safety warning	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction. Always follow the information on the product label.
Product colour *	Black, Grey, White		
Built-in display *	✓		
Display	LCD	Power consumption	38 Watt, 13 Watt (economy), 1.3 Watt (standby), 0.25 Watt (Power off)
Colour display	✓		
Display diagonal	10.9 cm (4.29")		
Control type	Touch	Colours capacity	Matte Black [110ml, 350ml, 700ml], Cyan [110ml, 350ml, 700ml], Yellow [110ml, 350ml, 700ml], Magenta [110ml, 350ml, 700ml]
Internal memory	1024 MB		
Maximum internal memory	1000 MB		
		Ink tank capacity	700 ml



8715946687056

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.