



## HP Color LaserJet Enterprise MFP M776dn

**Brand :** HP

**Product family:** Color LaserJet Enterprise **Product code:** T3U55A#B19

**Product name :** Color LaserJet Enterprise MFP M776dn

- Two-sided printing; Two-sided scanning; Scan to email
  - Print, copy, scan and optional fax
  - Print speed up to 45 ppm (black) and 45 ppm (colour)
  - Up to 1200 x 1200 dpi
- Color LaserJet Enterprise MFP M776dn

### HP Color LaserJet Enterprise MFP M776dn:

Expect brilliant colour prints from advanced MFPs, equipped with JetIntelligence technology. Offering the world's most secure printing <sup>[1]</sup> and a wide range of paper handling features, this is printing that helps save time and simplifies workflows.

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.



Printing		Performance	
Duplex printing mode	Auto	Built-in processor	✓
Print resolution colour	1200 x 1200 DPI	Processor frequency	1200 MHz
Print resolution black	1200 x 1200 DPI	Sound pressure level (printing)	52 dB
Print technology *	Laser	Sound pressure level (scanning)	50 dB
Printing *	Colour printing	Sound power level (printing)	6.7 dB
Duplex printing *	✓	Design	
Maximum resolution *	1200 x 1200 DPI	Product colour *	Black, White
Print speed (black, normal quality, A4/US Letter) *	46 ppm	Market positioning *	Business
Print speed (colour, normal quality, A4/US Letter)	46 ppm	Built-in display *	✓
Print speed (black, normal quality, A3)	26 ppm	Display	LCD
Print speed (colour, normal quality, A3)	26 ppm	Display diagonal	22.9 cm (9")
Duplex print speed (black, normal quality, A4/US Letter)	26 ppm	Display resolution	1024 x 768 pixels
Duplex print speed (colour, normal quality, A4/US Letter)	26 ppm	Touchscreen	✓
Warm-up time	210 s	Control type	Buttons, Touch
Time to first page (black, normal)	6.5 s	Colour display	✓
Time to first page (colour, normal)	6.8 s	Power	
Print margin top (min)	5 mm	Power consumption (average operating)	900 W
Print margin bottom (min)	5 mm	Power consumption (PowerSave)	0.8 W
Print margin left (min)	5 mm	Power consumption (printing)	900 W
Print margin right (min)	5 mm	Power consumption (ready)	100 W
		Power consumption (sleep)	0.8 W
		Power consumption (off)	0.07 W


<b>Printing</b>		<b>Power</b>	
N-in-1 print function	✓	Energy Star Typical Electricity Consumption (TEC)	2.47 kWh/week
Watermark printing	✓	AC input voltage	220 - 240 V
Secure printing	✓	AC input frequency	50/60 Hz
<b>Copying</b>		<b>Brand-specific features</b>	
Duplex copying *	✓	HP ImageREt print technology	HP ImageREt 4800
Copying *	Colour copying	HP ePrint	✓
Maximum copy resolution *	600 x 600 DPI	HP Web Jetadmin	✓
Copy speed (black, normal quality, A4)	46 cpm	HP JetAdvantage Secure Print	✓
Copy speed (colour, normal quality, A4)	46 cpm	HP Auto-On/Auto-Off	✓
Copy speed (black, normal quality, A3)	26 cpm	HP Dynamic security	✓
Copy speed (colour, normal quality, A3)	26 cpm		Management security: SNMPv3, Web Services over port 7627, SSL/TLS TLS 1.0/1.1/1.2, FIPS 140-2, Certificate Management, Embedded Web Server, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in
Time to first copy (black, normal)	5.6 s	HP Security tools	
Time to first copy (colour, normal)	7.7 s		
Maximum number of copies	9999 copies		
Copier resize	25 - 400%		
N-in-1 copy function	✓		
Book copy function	✓		
ID-card copy function	✓	HP Management tools	HP Device Toolbox; HP Printer Assistant; HP SNMP Proxy Agent
Auto fit function	✓		(ABT) 193015437906; (ABY) 193015437913; (ACQ) 193015437920; (B13) 193015437937; (B19) 193015437944; (BAZ) 193015437951
<b>Scanning</b>		HP GTIN (EAN/UPC) with options	193015437906, 193015437913, 193015437920, 193015437937, 193015437944, 193015437951
Duplex scanning *	✓	HP GTIN (EAN/UPC)	193015437906, 193015437913, 193015437920, 193015437937, 193015437944, 193015437951
Scanning *	Colour scanning		
Optical scanning resolution *	600 x 600 DPI		
Maximum scan resolution	600 x 600 DPI		
Maximum scan area	297 x 432 mm		
Scanner type *	Flatbed scanner		
Scan technology	CIS/CCD		
Scan to	E-mail, Network folder, USB, TWAIN		
Scan speed (colour)	90 ppm	Windows operating systems supported	Windows 7 Ultimate x64, Windows 7 Ultimate, Windows 7 Starter x64, Windows 7 Starter, Windows 7 x64, Windows 7, Windows 8 x64, Windows 8, Windows 8.1 x64, Windows 8.1, Windows 10 x64, Windows 10
Scan speed (black)	90 ppm		
Image formats supported	JPEG, MTIFF, TIFF	Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, MacOS
Document formats supported	PDF, XPS		
Input colour depth	48 bit		
Greyscale levels	256		
Scan drivers	TWAIN	Other operating systems supported	Android, iOS
<b>Fax</b>		<b>System requirements</b>	
Faxing *	✗		
<b>Features</b>		<b>Operational conditions</b>	
Recommended duty cycle	0 - 40000 pages per month	Operating relative humidity (H-H)	10 - 80%
Maximum duty cycle *	200000 pages per month	Recommended humidity operating range	30 - 70%
Duplex functions *	Print	Recommended operating temperature range (T-T)	15 - 27 °C
Digital sender	✓	Storage temperature (T-T)	-20 - 40 °C
Number of print cartridges *	4	Operating temperature (T-T)	10 - 32.5 °C
Printing colours *	Black, Cyan, Magenta, Yellow	Storage relative humidity (H-H)	10 - 80%
Page description languages	PostScript 3, PDF 1.7, PCL 6		
Printer fonts	Scalable, TrueType, Windows, PCL, PostScript, Barcode		
All-In-One-multitasking	✓		
Country of origin	Japan	<b>Certificates</b>	
		Certification	CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU. Other EMC approvals as required by individual countries.

Features		Sustainability	
Replacement cartridges	W2010A HP 659A Black LaserJet Toner Cartridge (16,000 pages);	Sustainability compliance	✓
	W2011A HP 659A Cyan LaserJet Toner Cartridge (13,000 pages);	Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT Silver
	W2012A HP 659A Yellow LaserJet Toner Cartridge (13,000 pages);	Sustainable technologies and materials	Mercury free
	W2013A HP 659A Magenta LaserJet Toner Cartridge (13,000 pages);	Doesn't contain	Mercury
	W2010X HP 659X Black LaserJet Toner Cartridge (34,000 pages);	<b>Carbon footprint</b>	
	W2011X HP 659X Cyan LaserJet Toner Cartridge (29,000 pages);	Total carbon footprint (kg of CO2e)	790
	W2012X HP 659X Yellow LaserJet Toner Cartridge (29,000 pages);	Carbon emissions, manufacturing (kg of CO2e)	358
	W2013X HP 659X Magenta LaserJet Toner Cartridge (29,000 pages);	Carbon emissions, logistics (kg of CO2e)	22
	W2004A HP 660A Original LaserJet Imaging Drum (65,000 pages, universal for all 4 colours)	Total carbon emissions, w/o use phase (kg of CO2e)	396
	HP segment	Business	<b>Weight &amp; dimensions</b>
<b>Input &amp; output capacity</b>		Width	585 mm
Total number of input trays *	2	Depth	663 mm
Total input capacity *	650 sheets	Height	710 mm
Total output capacity *	500 sheets	Weight	70.9 kg
Paper tray 1 input capacity	100 sheets	<b>Packaging data</b>	
Paper tray 2 input capacity	550 sheets	Package width	856 mm
Multi-Purpose tray	✓	Package depth	760 mm
Multi-Purpose tray input capacity	100 sheets	Package height	972 mm
Auto document feeder (ADF)	✓	Package weight	92.1 kg
Auto document feeder (ADF) input capacity	200 sheets	<b>Packaging content</b>	
Auto document feeder (ADF) output capacity	200 sheets	Cables included	AC
Maximum number of input trays	5	<b>Logistics data</b>	
Maximum input capacity	3900 sheets	Harmonized System (HS) code	84433100
Maximum output capacity	500 sheets	Pallet gross weight	92.1 kg
<b>Paper handling</b>		Layers per pallet	1 pc(s)
Maximum ISO A-series paper size *	A3	Products per pallet	1 pc(s)
Maximum print size	302 x 454.2 mm	<b>Technical details</b>	
Paper tray media types *	Plain paper, Glossy paper, Recycled paper, Envelopes, Card stock, Labels, Transparencies, Heavy paper, Lightweight paper	Box contents	HP Color LaserJet Enterprise-MFP M776dn printer; HP Black Original LaserJet Toner Cartridge (16,000 pages), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (13,000 pages each); 4 HP Original LaserJet Imaging Drums (65,000 pages each colour); Getting started Guide; 1 Power cord
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6	Master (outer) cases per pallet (layer 1 pcs)	1
ISO B-series sizes (B0...B9)	B5	Compliance certificates	CECP, GS mark, CCC, cUL, UL, CE, BSMI
ISO C-series sizes (C0...C9)	C5, C6	General Product Safety Regulation (GPSR) URL	<a href="https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-enterprise-mfp-m776-series/model/21298756?sku=T3U55A&amp;serialnumber=T3U55A">https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-enterprise-mfp-m776-series/model/21298756?sku=T3U55A&amp;serialnumber=T3U55A</a>
Non-ISO print media sizes	Oficio, 16K		<a href="https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-enterprise-mfp-m776-series/model/21298756?sku=T3U55A&amp;serialnumber=T3U55A">https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-enterprise-mfp-m776-series/model/21298756?sku=T3U55A&amp;serialnumber=T3U55A</a>
JIS B-series sizes (B0...B9)	B4, B5, B6	<b>Other features</b>	
Envelopes sizes	B5, C5, C6, DL	Number of users	20 user(s)
Custom media width	64 - 320 mm	Custom media sizes	100 sheet multipurpose Tray 1: 64 x 127 to 320 x 457.2 mm; 550 sheet input Tray 2: 148 x 148 to 297 x 431.8 mm; Optional 1 x 550 and 2 x 550 tray and stand: 148 x 148 to 320 x 457.2 mm; Optional 2,700 sheet HCL paper tray and stand: 279.4 x 210 mm to 297 x 215.9
Custom media length	127 - 457.2 mm	Pallet dimensions (W x D x H)	856 x 760 x 972 mm
Paper tray media weight	60 - 256 g/m <sup>2</sup>	Recommended system requirements	2 GB available hard disk space; Internet connection; USB port; Internet browser. 2 GB available hard drive space; Internet connection or USB port.
Multi-Purpose Tray media weight	60 - 300 g/m <sup>2</sup>		
Envelope feeder	No		
<b>Ports &amp; interfaces</b>			
Direct printing *	✓		
USB port	✓		
USB 2.0 ports quantity	4		
<b>Network</b>			
Wi-Fi *	✓		
Ethernet LAN *	✓		
Cabling technology	10/100/1000Base-T(X)		
Ethernet LAN data rates	10,100,1000 Mbit/s		

Network		Other features	
Bluetooth	✓		Windows Client OS (32/64 bit): Win10, Win8.1, Win7 Starter Edition SP1, UPD Win7 Ultimate; Mobile OS: iOS, Android; Apple macOS High Sierra v10.13, Apple macOS Mojave v10.14, Mac: Apple macOS Catalina v10.15; Discrete PCL6 Printer Driver: For more information on the supported operating systems go to <a href="http://support.hp.com">http://support.hp.com</a> , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers: For more information on the supported operating systems go to <a href="http://www.support.hp.com">http://www.support.hp.com</a> , Enter your product name and search, Click on User Guides and enter your product name and search for your (Product Name) User Guide, Search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see <a href="http://www.hp.com/go/upd">http://www.hp.com/go/upd</a>
Security algorithms	SNMPv3, SSL/TLS, WPA2-Enterprise, EAP-PEAP, EAP-TLS, IPsec		
Mobile printing technologies	Mopria Print Service, HP ePrint, Apple AirPrint, Google Cloud Print		
Performance			
Maximum internal memory	5120 MB		Compatible operating systems
Memory slots	1		
Internal storage capacity	500 GB		
Storage media	HDD		
Card reader integrated	✗		
Internal memory *	3072 MB		
		Pallet dimensions (W x D x H) (imperial)	856 x 760 x 971.5 mm (33.7 x 29.9 x 38.2")
		Pallet weight (imperial)	92.1 kg (203.1 lbs)
		Acoustic power emissions (ready)	49 dB
		Acoustic pressure emissions bystander (ready)	32 dB
		Typical electricity consumption (TEC) number	Blue Angel: 2.470 kWh/Week; Energy Star 3.0: 0.734 kWh/Week
		UNSPSC-code	43212110
		Processor frequency	1.2 GHz
		Manufacturer warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements.
		Electromagnetic compatibility	CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU. Other EMC approvals as required by individual countries.



5715063369449



0193015437944



193015437944

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.