



HP Color LaserJet Enterprise Flow MFP M776z

Brand : HP

Product family: Color LaserJet Enterprise Flow **Product code:** 3WT91A#B19

Product name : Color LaserJet Enterprise Flow MFP M776z

- Front-facing USB printing
 - Print, copy, scan and fax
 - Up to 46 ppm
 - Up to 1200 x 1200 dpi
- Color LaserJet Enterprise Flow MFP M776z

HP Color LaserJet Enterprise Flow MFP M776z:

Expect brilliant colour prints from advanced MFPs, equipped with JetIntelligence technology. Offering the world's most secure printing ^[1] and a wide range of paper handling features, this is printing that helps save time and simplifies workflows.

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.




Printing		Network	
Duplex printing mode	Auto	Security algorithms	SNMPv3, SSL/TLS, WPA2-Enterprise, EAP-PEAP, EAP-TLS, IPsec
Print resolution colour	1200 x 1200 DPI	Mobile printing technologies	Mopria Print Service, HP ePrint, Apple AirPrint, Google Cloud Print
Print resolution black	1200 x 1200 DPI		
Print technology *	Laser	Performance	
Printing *	Colour printing	Maximum internal memory	7168 MB
Duplex printing *	✓	Memory slots	1
Maximum resolution *	1200 x 1200 DPI	Internal storage capacity	500 GB
Print speed (black, normal quality, A4/US Letter) *	46 ppm	Storage media	HDD
Print speed (colour, normal quality, A4/US Letter)	46 ppm	Card reader integrated	✗
Print speed (black, draft quality, A4/US Letter)	45 ppm	Internal memory *	5120 MB
Print speed (black, normal quality, A3)	26 ppm	Built-in processor	✓
Print speed (colour, normal quality, A3)	26 ppm	Processor frequency	1200 MHz
Warm-up time	210 s	Sound pressure level (printing)	51 dB
Time to first page (black, normal)	6.5 s	Sound pressure level (scanning)	50 dB
Time to first page (colour, normal)	6.8 s	Sound power level (printing)	6.7 dB
Print margin top (min)	5 mm	Design	
Print margin bottom (min)	5 mm	Product colour *	Black, White
Print margin left (min)	5 mm	Market positioning *	Business
Print margin right (min)	5 mm	Built-in display *	✓
N-in-1 print function	✓	Display	LCD
		Display diagonal	22.9 cm (9")
		Display resolution	1024 x 768 pixels

Printing		Design	
Watermark printing	✓	Control type	Buttons, Touch
Secure printing	✓	Colour display	✓
Copying		Power	
Duplex copying *	✓	Power consumption (average operating)	900 W
Copying *	Colour copying	Power consumption (PowerSave)	0.8 W
Maximum copy resolution *	600 x 600 DPI	Power consumption (printing)	900 W
Copy speed (black, normal quality, A4)	46 cpm	Power consumption (ready)	100 W
Copy speed (colour, normal quality, A4)	46 cpm	Power consumption (sleep)	0.8 W
Copy speed (black, normal quality, A3)	26 cpm	Power consumption (off)	0.07 W
Copy speed (colour, normal quality, A3)	26 cpm	Energy Star Typical Electricity Consumption (TEC)	2.47 kWh/week
Time to first copy (black, normal)	5.6 s	AC input voltage	220 - 240 V
Time to first copy (colour, normal)	7.7 s	AC input frequency	50/60 Hz
Maximum number of copies	9999 copies	Brand-specific features	
Copier resize	25 - 400%	HP Auto-On/Auto-Off	✓
N-in-1 copy function	✓	HP Dynamic security	✓
Book copy function	✓	Management security: SNMPv3, Web Services over port 7627, SSL/TLS TLS 1.0/1.1/1.2, FIPS 140-2, Certificate Management, Embedded Web Server, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in (ABT) 193424432196; (ABY) 193424432202; (ACQ) 193424432219; (B13) 193424432226; (B19) 193424432233; (BAZ) 193424432257	
ID-card copy function	✓		
Auto fit function	✓	HP Security tools	
Scanning		HP GTIN (EAN/UPC) with options	
Duplex scanning *	✓	HP GTIN (EAN/UPC)	
Scanning *	Colour scanning	193424432196, 193424432202, 193424432219, 193424432226, 193424432233, 193424432257	
Optical scanning resolution *	600 x 600 DPI		
Maximum scan resolution	600 x 600 DPI	System requirements	
Maximum scan area	297 x 432 mm	Windows operating systems supported	Windows 7 Ultimate x64, Windows 7 Ultimate, Windows 7 Starter x64, Windows 7 Starter, Windows 7 x64, Windows 7, Windows 8 x64, Windows 8, Windows 8.1 x64, Windows 8.1, Windows 10 x64, Windows 10
Scanner type *	Flatbed scanner	Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, MacOS
Scan technology	CIS/CCD	Other operating systems supported	Android, iOS
Scan to	E-mail, Network folder, USB, TWAIN	Operational conditions	
Scan speed (colour)	120 ppm	Operating relative humidity (H-H)	10 - 80%
Scan speed (black)	120 ppm	Recommended humidity operating range	30 - 70%
Image formats supported	JPEG, MTIFF, TIFF	Recommended operating temperature range (T-T)	15 - 27 °C
Document formats supported	CSV, HTML, PDF, RTF, UNICODE, XPS	Storage temperature (T-T)	-20 - 40 °C
Input colour depth	48 bit	Operating temperature (T-T)	10 - 32.5 °C
Greyscale levels	256		
Scan drivers	TWAIN		
Fax			
Faxing *	Colour faxing		
Fax resolution (black)	300 x 300 DPI		
Fax transmission speed	6 sec/page		
Modem speed	33.6 Kbit/s		
Fax memory	500 pages		
Auto-redialing	✓		
Speed dialling	✓		
Fax forwarding	✓		
Fax delayed sending	✗		
Auto reduction	✓		
Features			
Recommended duty cycle	0 - 40000 pages per month		
Maximum duty cycle *	200000 pages per month		
Duplex functions *	Print		
Digital sender	✓		
Number of print cartridges *	4		
Printing colours *	Black, Cyan, Magenta, Yellow		
Page description languages	PostScript 3, PDF 1.7, PCL 6		

Features		Certificates	
Printer fonts	Scalable, TrueType, Windows, PCL, PostScript, Barcode		CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU. Other EMC approvals as required by individual countries.
All-In-One-multitasking	✓	Certification	
Country of origin	Japan		
Replacement cartridges	W2010A HP 659A Black LaserJet Toner Cartridge (16,000 pages); W2011A HP 659A Cyan LaserJet Toner Cartridge (13,000 pages); W2012A HP 659A Yellow LaserJet Toner Cartridge (13,000 pages); W2013A HP 659A Magenta LaserJet Toner Cartridge (13,000 pages); W2010X HP 659X Black LaserJet Toner Cartridge (34,000 pages); W2011X HP 659X Cyan LaserJet Toner Cartridge (29,000 pages); W2012X HP 659X Yellow LaserJet Toner Cartridge (29,000 pages); W2013X HP 659X Magenta LaserJet Toner Cartridge (29,000 pages); W2004A HP 660A Original LaserJet Imaging Drum (65,000 pages, universal for all 4 colours)		
HP segment	Business		
Input & output capacity		Sustainability	
Total number of input trays *	5	Sustainability compliance	✓
Total input capacity *	2300 sheets	Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT Gold
Total output capacity *	500 sheets	Sustainable technologies and materials	Mercury free
Paper tray 1 input capacity	100 sheets	Doesn't contain	Mercury
Paper tray 2 input capacity	550 sheets		
Multi-Purpose tray	✓	Carbon footprint	
Multi-Purpose tray input capacity	100 sheets	Total carbon footprint (kg of CO2e)	980
Auto document feeder (ADF)	✓	Carbon emissions, manufacturing (kg of CO2e)	549
Auto document feeder (ADF) input capacity	200 sheets	Carbon emissions, logistics (kg of CO2e)	34
Maximum number of input trays	5	Total carbon emissions, w/o use phase (kg of CO2e)	380
Maximum input capacity	2300 sheets		
Maximum output capacity	500 sheets	Weight & dimensions	
Paper handling		Width	585 mm
Maximum ISO A-series paper size *	A3	Depth	712 mm
Maximum print size	302 x 454.2 mm	Height	1160 mm
Paper tray media types *	Plain paper, Glossy paper, Recycled paper, Envelopes, Card stock, Labels, Transparencies, Heavy paper, Lightweight paper	Weight	115.5 kg
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6	Packaging data	
ISO B-series sizes (B0...B9)	B5	Package width	856 mm
ISO C-series sizes (C0...C9)	C5, C6	Package depth	760 mm
Non-ISO print media sizes	Oficio, 16K	Package height	1556 mm
JIS B-series sizes (B0...B9)	B4, B5, B6	Package weight	126.5 kg
Envelopes sizes	B5, C5, C6, DL	Packaging content	
Custom media width	64 - 320 mm	Cables included	AC
Custom media length	127 - 457.2 mm	Logistics data	
Paper tray media weight	60 - 256 g/m ²	Harmonized System (HS) code	84433100
Multi-Purpose Tray media weight	60 - 300 g/m ²	Pallet gross weight	126.5 kg
Envelope feeder	No	Layers per pallet	1 pc(s)
		Products per pallet	1 pc(s)
Ports & interfaces		Technical details	
Direct printing *	✓	<small> HP Color LaserJet Enterprise Flow MFP M776z printer; HP Black Original LaserJet Toner Cartridge (16,000 pages), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (13,000 pages each); 4 HP Original LaserJet Imaging Drums (65,000 pages each colour); Getting started Guide; 1 Power cord Master (outer) cases per pallet layer: 1 pc(s) Compliance certificates: CECP, GS mark, CCC, cUL, UL, CE, BSMI General Product Safety Regulation (GPSR) URL: https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-enterprise-mfp-m776-series/model/260583367sku=3WT91A https://h10032.www1.hp.com/ctg/Manual/c06362773.pdf </small>	
USB port	✓	Other features	
USB 2.0 ports quantity	4	Number of users	20 user(s)
Network		Custom media sizes	100 sheet multipurpose Tray 1: 64 x 127 to 320 x 457.2 mm; 550 sheet input Tray 2: 148 x 148 to 297 x 431.8 mm; 1 x 550 and 2 x 550 tray and stand: 148 x 148 to 320 x 457.2 mm
Wi-Fi *	✓	Pallet dimensions (W x D x H)	856 x 760 x 1556 mm
Ethernet LAN *	✓	Power supply type	Internal (Built-in) power supply
		Recommended system requirements	2 GB available hard disk space; Internet connection; USB port; Internet browser. 2 GB available hard drive space; Internet connection or USB port.

Network		Other features
Cabling technology	10/100/1000Base-T(X)	Windows Client OS (32/64 bit): Win10, Win8.1, Win7 Starter Edition SP1, UPD Win7 Ultimate; Mobile OS: iOS, Android; Apple macOS High Sierra v10.13, Apple macOS Mojave v10.14, Mac: Apple macOS Catalina v10.15; Discrete PCL6 Printer Driver: For more information on the supported operating systems go to http://support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers: For more information on the supported operating systems go to http://www.support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see http://www.hp.com/go/upd
Ethernet LAN data rates	10,100,1000 Mbit/s	
Bluetooth	✓	
		Compatible operating systems
		Acoustic power emissions (ready)
		Acoustic pressure emissions bystander (ready)
		Typical electricity consumption (TEC) number
		UNSPSC-code
		Processor frequency
		Electromagnetic compatibility



0193424432233



193424432233

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.