

ASUS ProArt PA279CV computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LED Black, Silver

Brand : ASUS

Product family: ProArt

Product code: 90LM06M1-B01170

Product name : PA279CV



5 YIL GARANTİ UZATMA ÜRÜN KAYIT SAYFASI



*Ürününüzü kaydetmek için QR kodu okutunuz.


- 27-inch 4K UHD (3840 x 2160) LED backlight display with IPS 178° wide viewing angle panel
 - International color standard 100% sRGB and 100% Rec. 709 wide color gamut
 - Calman Verified with factory calibrated for excellent Delta E < 2 color accuracy
 - Extensive connectivity including DP over USB-C™ with 65W Power Delivery, DisplayPort, HDMI, USB 3.0 hub
 - Adaptive-Sync technology (40~60Hz) to animated content with fast action and eliminate screen tearing
 - ASUS-exclusive ProArt Preset and ProArt Palette provide numerous adjustable color parameters
 - Ergonomic design with +35° ~ -5° tilt, ±45° swivel, ±90° pivot and 150mm height adjustments for a comfortable viewing experience
- 27", IPS, 4K UHD, 3840 x 2160, 5ms, 16:9, HDCP, 2 x HDMI, DisplayPort, USB Type-C, 4 x USB Type-A, 3.5mm, Flicker free, HDR-10, VESA, Frameless, 614 x 370 x 60 mm, 5.7 Kg

Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	DisplayPort version	1.2
Display resolution *	3840 x 2160 pixels	Audio input	✗
HD type *	4K Ultra HD	Headphone out *	✓
Native aspect ratio *	16:9	Headphone outputs	1
Display technology *	LED	Headphone connectivity	3.5 mm
Panel type *	IPS	HDCP	✓
Touchscreen *	✗	AC (power) in	✓
Display brightness (typical)	350 cd/m²	Ergonomics	
Response time *	5 ms	VESA mounting *	✓
Screen shape *	Flat	Panel mounting interface	100 x 100 mm
Supported graphics resolutions	3840 x 2160	Cable lock slot *	✓
Aspect ratio	16:9	Cable lock slot type	Kensington
Contrast ratio (typical) *	1000:1	Height adjustment *	✓
Contrast ratio (dynamic)	100000000:1	Adjustable height (max)	15 cm
Dynamic contrast ratio marketing name	SmartContrast	Pivot	✓
Maximum refresh rate *	60 Hz	Pivot angle	-90 - 90°
Viewing angle, horizontal	178°	Swivelling	✓
Viewing angle, vertical	178°	Swivel angle range	-45 - 45°
Display number of colours *	1.073 billion colours	Tilt adjustment	✓
Pixel pitch	0.155 x 0.155 mm	Tilt angle range	-5 - 35°
Viewable size, horizontal	59.7 cm	Power	
Viewable size, vertical	33.6 cm	Energy efficiency class (SDR) *	G
Viewable size diagonal	68.5 cm	Energy efficiency class (HDR) *	G
Digital horizontal frequency	29 - 160 kHz	Energy consumption (SDR) per 1000 hours *	32 kWh
Digital vertical frequency	40 - 60 Hz	Energy consumption (HDR) per 1000 hours *	54 kWh
High Dynamic Range (HDR) supported	✓		
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)		

Display		Power	
sRGB coverage (typical)	100%	Power consumption (typical) *	32.1 W
Performance		Power consumption (standby) *	0.5 W
VESA Adaptive Sync support	✓	Power consumption (off)	0.2 W
Flicker-free technology	✓	AC input voltage	100 - 240 V
Low Blue Light technology	✓	AC input frequency	50 - 60 Hz
Multimedia		Energy efficiency scale	A to G
		Weight & dimensions	
Number of speakers	2	Width (with stand)	614 mm
RMS rated power	2 W	Depth (with stand)	227.8 mm
Built-in speaker(s) *	✓	Height (with stand)	523.4 mm
Built-in camera *	✗	Weight (with stand)	8.6 kg
Design		Width (without stand)	614 mm
Market positioning *	Photo editing	Depth (without stand)	60 mm
Product colour *	Black, Silver	Height (without stand)	370 mm
Frameless design	✓	Weight (without stand)	5.7 kg
Front bezel colour	Black	Packaging data	
Detachable stand	✓	Package width	516 mm
Feet colour	Silver	Package depth	161 mm
Ports & interfaces		Package height	680 mm
Built-in USB hub *	✓	Package weight	11.2 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package type	Box
Number of upstream ports	4	Packaging content	
USB Type-A downstream ports quantity	4	Stand included	✓
USB Type-C downstream ports quantity	1	Cables included	AC
DVI port	✗	Quick start guide	✓
HDMI *	✓	Other features	
HDMI ports quantity	2	Country of origin	China
HDMI version	2.0	Certification	TUV Flicker-free , TUV Low Blue Light, Calman Verified
DisplayPorts quantity	1	Logistics data	
		Commodity Classification Automated Tracking System (CCATS)	8528521000
		Harmonized System (HS) code	85285210



4718017853200



0192876853207



192876853207




4718017853170




0192876935248



192876935248



0192876853214



192876853214

Catalog Object Cloud



Disclaimer: The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of webpages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.