



HP LaserJet Enterprise MFP M430f

Brand : HP

Product family: LaserJet Enterprise

Product code: 3PZ55A#B19

Product name : LaserJet Enterprise MFP M430f

- 50-sheet ADF; Two-sided printing; Two-sided scanning; Front-facing USB printing; Compact Size; Energy Efficient; Strong Security
 - Print, copy, scan, fax
 - Up to 40 ppm (black)
 - Up to 1200 x 1200 dpi
- LaserJet Enterprise MFP M430f

[HP LaserJet Enterprise MFP M430f:](#)

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.




Printing		Design	
Duplex printing mode	Auto	Product colour *	White
Print resolution black	1200 x 1200 DPI	Market positioning *	Business
Print technology *	Laser	Built-in display *	✓
Printing *	Mono printing	Display	LCD
Duplex printing *	✓	Display diagonal	10.9 cm (4.3")
Maximum resolution *	1200 x 1200 DPI	Control type	Touch
Print speed (black, normal quality, A4/US Letter) *	38 ppm	Colour display	✓
Warm-up time	180 s	Power	
Time to first page (black, normal)	6.5 s	Power consumption (average operating)	525 W
N-in-1 print function	✓	Power consumption (PowerSave)	0.08 W
Watermark printing	✓	Power consumption (printing)	525 W
Secure printing	✓	Power consumption (ready)	10.1 W
Copying		Power consumption (sleep)	1.2 W
Duplex copying *	✓	Power consumption (off)	0.08 W
Copying *	Mono copying	Energy Star Typical Electricity Consumption (TEC)	1.222 kWh/week
Maximum copy resolution *	600 x 600 DPI	AC input voltage	220 - 240 V
Copy speed (black, normal quality, A4)	38 cpm	AC input frequency	50/60 Hz
Time to first copy (black, normal)	7.2 s	Brand-specific features	
Auto fit function	✓	HP Auto-On/Auto-Off	✓
Scanning		HP Dynamic security	✓
Duplex scanning *	✓		
Scanning *	Colour scanning		
Optical scanning resolution *	600 x 600 DPI		
Maximum scan resolution	600 x 600 DPI		
Maximum scan area	216 x 297 mm		
Scanner type *	Flatbed scanner		
Scan technology	CIS		

Scanning		Brand-specific features	
Scan speed (colour)	20 ppm		Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-shared Key, Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs (ABT) 193905205448; (ABY) 193905205455; (ACQ) 193905205462; (B13) 193905418831; (B19) 193905205479; (BAZ) 193905205486
Scan speed (black)	29 ppm		
Duplex scan speed (colour)	37 ppm		
Input colour depth	24 bit		
Greyscale levels	256		
Scan drivers	TWAIN		
Fax			
Faxing *	Mono faxing		HP Security tools
Fax resolution (black)	300 x 300 DPI		
Fax transmission speed	3 sec/page		
Modem speed	33.6 Kbit/s		
Auto-redialing	✓		
Speed dialling	✓		
Fax forwarding	✓		
Fax delayed sending	✗		
Auto reduction	✓		
Features			
Recommended duty cycle	900 - 4800 pages per month		HP GTIN (EAN/UPC) with options
Maximum duty cycle *	100000 pages per month		
Duplex functions *	Print, Copy		
Digital sender	✓		
Number of print cartridges *	1		
Printing colours *	Black		
Page description languages	PDF 1.7, PCL 5, PCL 6		
Printer fonts	Scalable, TrueType, Windows, PCL, PostScript		
All-In-One-multitasking	✓		
Country of origin	China		
Replacement cartridges	HP 59A Black Original LaserJet Toner Cartridge (3,000 pages) CF259A, HP 59X High Yield Black Original LaserJet Toner Cartridge (10,000 pages) CF259X		HP GTIN (EAN/UPC)
HP segment	Business		193905205448, 193905205455, 193905205462, 193905418831, 193905205479, 193905205486
Input & output capacity		System requirements	
Total number of input trays *	2	Windows operating systems supported	Windows 7, Windows 8, Windows 8.1, Windows 10, Windows 11
Total input capacity *	350 sheets	Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, MacOS
Total output capacity *	150 sheets	Other operating systems supported	Android, iOS
Paper tray 1 input capacity	100 sheets		
Paper tray 2 input capacity	250 sheets		
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	50 sheets		
Maximum number of input trays	3		
Maximum input capacity	10 sheets		
Maximum output capacity	150 sheets		
Paper handling		Operational conditions	
Maximum ISO A-series paper size *	A4	Operating relative humidity (H-H)	30 - 70%
Maximum print size	212 x 352 mm	Recommended humidity operating range	10 - 90%
Paper tray media types *	Plain paper, Bond paper, Recycled paper, Envelopes, Labels, Pre-printed, Heavy paper, Lightweight paper, Rough paper	Recommended operating temperature range (T-T)	15 - 27 °C
ISO A-series sizes (A0...A9) *	A4, A5, A6	Storage temperature (T-T)	-20 - 40 °C
ISO B-series sizes (B0...B9)	B5	Operating temperature (T-T)	15 - 32.5 °C
ISO C-series sizes (C0...C9)	C5, C6		
Non-ISO print media sizes	16K		
JIS B-series sizes (B0...B9)	B5, B6		
Envelopes sizes	B5, C5, C6, DL		
Photo paper sizes	10x15 cm		
		Certificates	
		Certification	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010 +A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013. Other EMC approvals as required by individual countries.
		Sustainability	
		Sustainability compliance	✓
		Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT Silver

Paper handling		Sustainability	
Custom media width	76 - 216 mm	Sustainable technologies and materials	Mercury-free
Custom media length	127 - 356 mm	Doesn't contain	Mercury
Paper tray media weight	60 - 175 g/m ²	Carbon footprint	
Multi-Purpose Tray media weight	60 - 120 g/m ²	Total carbon footprint (kg of CO ₂ e)	180
Envelope feeder	No	Carbon emissions, manufacturing (kg of CO ₂ e)	91
Ports & interfaces		Carbon emissions, logistics (kg of CO ₂ e)	5
Direct printing *	✗	Carbon emissions, end-of-life (kg of CO ₂ e)	16
USB port	✓	Total carbon emissions, w/o use phase (kg of CO ₂ e)	73
USB 2.0 ports quantity	3	Weight & dimensions	
Network		Width	420 mm
Wi-Fi *	✓	Depth	390 mm
Ethernet LAN *	✓	Height	323 mm
Cabling technology	10/100/1000Base-T(X)	Weight	13 kg
Ethernet LAN data rates	10,100,1000 Mbit/s	Packaging data	
Wi-Fi Direct	✓	Package width	497 mm
Bluetooth	✓	Package depth	398 mm
Security algorithms	SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, FIPS 140, HTTPS	Package height	490 mm
Mobile printing technologies	Mopria Print Service, HP ePrint, Apple AirPrint	Package weight	14.7 kg
Performance		Packaging content	
Maximum internal memory	2048 MB	Cartridge(s) included	✓
Internal storage capacity	16 GB	Included cartridge capacity (black)	3000 pages
Card reader integrated	✗	Cables included	AC
Internal memory *	2048 MB	Logistics data	
Built-in processor	✓	Harmonized System (HS) code	84433100
Processor frequency	800 MHz	Pallet gross weight	441.9 kg
Sound pressure level (printing)	54 dB	Layers per pallet	4 pc(s)
Sound pressure level (scanning)	48 dB	Products per pallet	24 pc(s)
Sound power level (printing)	6.4 dB	Technical details	
<small> Box contents: HP LaserJet Enterprise MFP M430f printer; HP Black Original LaserJet Toner Cartridge (~3,000 pages); Getting started Guide; 1 Power cord Master (outer) cases per pallet layer: 6 pcs(s) Compliance certificates: CECP, GS mark, cUL, UL, CE, BSMI General Product Safety Regulation (GPSR) URL: https://support.hp.com/gb-en/product/setup-user-guides/hp-laserjet-enterprise-mfp-m430-series/model/29252394?sku=3PZ55A&serialnumber=3PZ55A https://kaas.hpccloud.hp.com/jpdf-public/pdf_2950398_en-US-1.pdf </small>			
Other features			
Number of users	10 user(s)		
Custom media sizes	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm		
Pallet dimensions (W x D x H)	1200 x 1000 x 2451 mm		
Power supply type	Internal (Built-in) power supply		
Recommended system requirements	2 GB available hard disk space Internet connection or USB port Internet browser. 2 GB available hard disk space Internet connection or USB port Internet browser.		
Compatible operating systems	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina		
Pallet dimensions (W x D x H) (imperial)	1199.9 x 1000 x 2450.8 mm (47.2 x 39.4 x 96.5")		
Pallet weight (imperial)	441.9 kg (974.3 lbs)		
Acoustic power emissions (ready)	Inaudible		
Typical electricity consumption (TEC) number	Blue Angel: 1.222 kWh/week; Energy Star 3.0: 0.463 kWh/week		
UNSPSC-code	43212110		

Other features

Manufacturer warranty	One-year, On-site Repair 24-hour / 7 day a week phone support
Electromagnetic compatibility	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010 +A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013. Other EMC approvals as required by individual countries.



0193905205479



193905205479

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.