

Yealink W90DM DECT base station White

Brand : Yealink


Product code: 1302016

Product name : W90DM

- Support Air and LAN synchronization
 - Seamless handover and roaming
 - Up to 60 base stations
 - Up to 250 handsets
 - Up to 250 SIP accounts
 - Up to 250 parallel calls
 - Support XML/LDAP/Remote Phonebook
 - Support XSI Directory/XSI Call Log
 - External antenna, DECT radio coverage upto 50m indoors and 300m outdoors
 - DECT technology:
 - Yealink DECT technology is based on CAT-iq2.0, which focuses on high-quality AudioVoIP (wideband), and low-bitrate data applications. But we are not compatible with any third-party DECT devices (base station, handset, etc.)
 - Support Opus
 - Support SRTP / SIPS / TLS, LDAP(s) and HTTPS
 - Support PoE
 - Compatible with Yealink W59R/W56H/W53H, CP930W and DD Phone
- 1 x RJ-45 10/100M, PoE, 50 m max indoor, 300 m max outdoor, VLAN, SNTP/NTP, DHCP, Open VPN, HTTPS, 2.8

Performance		Call management	
Number of handsets supported (max) *	250	Integrated voicemail	✓
Number of carrier frequencies	2	Redialing	✓
Number of VoIP accounts	250	Message Waiting Indication (MWI) function	✓
Management protocols	TFTP/FTP/HTTP/HTTPS/RPS	Phonebook search/import/export function	✓
Supported network protocols	SIP v1 (RFC2543), v2 (RFC3261), SNTP/NTP, VLAN (802.1Q and 802.1P), 802.1x, LLDP, STUN, UDP/TCP/TLS	Call history	✓
Number of bases supported (max)	60	Reset function	✓
Security algorithms	AES, HTTPS, SHA-384, SHA-512, SRTP, TLS	Emergency call	✓
Wireless synchronization	✓	Shared Call Appearance (SCA)	✓
Hearing aid compatibility	✓	System log export	✓
Dual-Tone Multi-Frequency (DTMF)	✓	Antenna	
Keypad lock	✓	Frequency range (EU)	1880 - 1900 MHz
XML browser	✓	Frequency range (US)	1920 - 1930 MHz
IPUI registration	✓	Maximum indoor range	50 m
User access level	✓	Maximum outdoor range	300 m
Auto-provision	✓	Ports & interfaces	
Over the Air Updates (OTA)	✓	Ethernet LAN	✓
Call management		Ethernet LAN (RJ-45) ports	1
Conference call	✓	Ethernet LAN data rate supported (max)	100 Mbit/s
Number of parallel conferences	3	Design	
Phonebook capacity (per handset)	100 entries	Product colour	White
Number of simultaneous calls (max)	100	Full duplex	✓
Number of WB calls per base supported (max)	8	Wall mountable	✓
Number of NB calls per base supported (max)	8	LED indicators	✓
Number of simultaneous calls per handset	2	Power	
Anonymous call	✓	Input voltage	100 - 240 V
		Power over Ethernet (PoE)	✓
		Output voltage	5 V

Call management		Power	
Anonymous call rejection	✓	Output current	1.2 A
Call waiting	✓	Operational conditions	
Call forwarding	✓	Operating temperature (T-T)	0 - 40 °C
Caller ID	✓	Operating relative humidity (H-H)	10 - 95%
Remote phonebook	✓	Weight & dimensions	
Call transfer	✓	Dimensions (WxDxH)	134 x 100 x 28 mm
Call hold	✓	Weight	2.8 kg
Do not disturb function	✓	Package width	158 mm
Switching between calls	✓	Package depth	203 mm
Mute function	✓	Package height	63 mm
Speed dialling	✓	Package weight	3.4 kg
		Logistics data	
		Harmonized System (HS) code	85177900
		Packaging content	
		Quick start guide	✓



6938818306202



5715328077768

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.