

## Viewsonic TD2760 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LED Touchscreen Multi-user Black

**Brand :** Viewsonic

**Product code:** TD2760

**Product name :** TD2760

27", 1920x1080, 16:9, MVA, 3000:1, 12ms, 230 cd/m<sup>2</sup>, 16.7M, 2xUSB 3.1 Typw-A, 1xUSB 3.1 Typw-B, 3.5mm Audio in, 3.5mm Audio out, VGA, HDMI 1.4, RS232, Display Port, 32W, VESA 100 x 100, 660x443x239 mm, 17400g

Viewsonic TD2760. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 6 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	Audio input	1
Display resolution *	1920 x 1080 pixels	Audio output	1
HD type *	Full HD	HDCP	✓
Native aspect ratio *	16:9	RS-232 ports	1
Display technology *	LED	Ergonomics	
Panel type *	VA	VESA mounting *	✓
LED backlight	✓	Panel mounting interface	100 x 100 mm
Backlight type	LED	Wall mountable	✓
Touchscreen *	✓	Cable lock slot *	✓
Touchscreen type	Multi-user	Cable lock slot type	Kensington
Touchscreen technology	Projected capacitive system	Tilt adjustment	✓
Touch technology	Multi-touch	Tilt angle range	-4 - 90°
Number of simultaneous touchpoints	10	On Screen Display (OSD)	✓
Display brightness	300 cd/m <sup>2</sup>	Number of OSD languages	14
Response time *	6 ms	Power	
Anti-glare screen	✓	Energy efficiency class (SDR) *	F
Screen shape *	Flat	Energy consumption (SDR) per 1000 hours *	19 kWh
Aspect ratio	16:9	Power consumption (typical) *	26 W
Contrast ratio (typical) *	3000:1	Power consumption (standby) *	0.3 W
Contrast ratio (dynamic)	5000000:1	Power consumption (off)	0.3 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50 - 60 Hz
Display number of colours *	16.78 million colours	Power supply type	AC
Pixel pitch	0.311 x 0.311 mm	Operational conditions	
Horizontal scan range	15 - 90 kHz	Operating temperature (T-T)	0 - 40 °C
Vertical scan range	50 - 76 Hz	Operating relative humidity (H-H)	20 - 90%
Viewable size, horizontal	59.8 cm	Weight & dimensions	
Viewable size, vertical	33.6 cm	Width (with stand)	660 mm
Display diagonal (metric)	68.58 cm	Depth (with stand)	239 mm
Surface hardness	6H		
Separate H/V sync	✓		

<b>Performance</b>		<b>Weight &amp; dimensions</b>	
NVIDIA G-SYNC *	✗	Height (with stand)	443 mm
AMD FreeSync *	✗	Weight (with stand)	7.9 kg
<b>Multimedia</b>		Width (without stand)	660 mm
Number of speakers	2	Depth (without stand)	58 mm
RMS rated power	4 W	Height (without stand)	410 mm
Built-in speaker(s) *	✓	Weight (without stand)	5.5 kg
Built-in microphone	✗	<b>Packaging data</b>	
Built-in camera *	✗	Package width	753 mm
<b>Design</b>		Package depth	204 mm
Product colour *	Black	Package height	525 mm
Glass thickness	1.88 mm	Package weight	10.2 kg
<b>Ports &amp; interfaces</b>		<b>Packaging content</b>	
Built-in USB hub *	✓	Cables included	Power, VGA, HDMI, USB, Audio
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Quick start guide	✓
USB upstream port type	USB Type-B	<b>Other features</b>	
Number of upstream ports	1	Weight	7.9 kg
Number of USB Type-B upstream ports quantity	1	Mean time between failures (MTBF)	30000 h
USB Type-A downstream ports quantity	2	Supplied AC adapter type	✓
VGA (D-Sub) ports quantity	1	Certification	MX-CoC, Mexico Energy, CE, CE EMC, CB
HDMI *	✓	<b>Logistics data</b>	
HDMI ports quantity	1	Products per master (outer) case	1 pc(s)
HDMI version	1.4	Pallet gross width	120 cm
DisplayPorts quantity	1	Pallet gross length	100 cm
DisplayPort version	1.2	Pallet gross height	2.24 m
		Harmonized System (HS) code	8528521000



0766907002775



766907002775

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.