

## Epson TM-m30II-SL (512) 203 x 203 DPI Wired Thermal POS printer

**Brand :** Epson

**Product code:** C31CH63512

**Product name :** TM-m30II-SL (512)

- All-in-one POS solution Printer and tablet stand
- Discreet design Stylish, practical design with small footprint and clean lines
- Flexibility Virtually all tablet devices to be securely fixed in place
- Enhanced connectivity A rich set of connectivity features and options
- Reliability Epson's tried and trusted build quality

TM-m30II-SL (512): USB + Ethernet + BT + NES + Lightning + SD, Black, PS, EU

Epson TM-m30II-SL (512). Print technology: Thermal, Type: POS printer, Maximum resolution: 203 x 203 DPI. Maximum roll diameter: 8.3 cm, Supported paper width: 58 mm - 80 mm (Breite), Maximum printing width: 8 cm. Connectivity technology: Wired, USB connector: USB Type-A / USB Type-B. Sound pressure level (printing): 55 dB, Mean time between failures (MTBF): 360000 h, Autocutter durability: 2.2 million cuts. Product colour: Black



Printing		Power	
Maximum resolution	203 x 203 DPI	Power source type *	AC
Print speed	250 mm/sec	Power plug type	Type C
Print speed (receipt)	250 mm/sec	<b>Operational conditions</b>	
Printing characters	Text, Graphic, Barcode	Operating temperature (T-T)	5 - 45 °C
Character sets	ANK	Storage temperature (T-T)	-20 - 60 °C
Print technology *	Thermal	Operating relative humidity (H-H)	10 - 90%
Type *	POS printer	Storage relative humidity (H-H)	10 - 90%
Paper handling		Weight & dimensions	
Maximum roll diameter	8.3 cm	Width	140 mm
Supported paper width	58 mm - 80 mm (Breite)	Depth	214 mm
Maximum printing width	8 cm	Height	255 mm
Ports & interfaces		Weight	2.9 kg
USB port *	✓	<b>Packaging data</b>	
USB 2.0 ports quantity	3	Quantity per pack	1 pc(s)
USB connector	USB Type-A / USB Type-B	Package width	390 mm
Serial interface *	✗	Package depth	410 mm
Connectivity technology *	Wired	Package height	245 mm
Network		Package weight	5.04 kg
Ethernet LAN *	✓	<b>Print technology</b>	
Wi-Fi *	✗	Column capacity	48/57
Features		<b>Logistics data</b>	
Sound pressure level (printing)	55 dB	Pallet weight (UK)	0 g
Mean time between failures (MTBF)	360000 h	Harmonized System (HS) code	84433210
Cutter	✓	Products per pallet (UK)	32 pc(s)
Half-cutter	✓	<b>Technical details</b>	
Autocutter durability	2.2 million cuts	Font styles	ANK
Tablet charge & sync	✓	Lifetime	17000000 lines
Print head life	150 km	<b>Other features</b>	
Country of origin	Philippines	Buffer size	12 KB
Mounting position	Vertical	Mean cycles between failures (MCBF)	65000000
Built-in sensors details	Paper End Sensor, Paper Near End Sensor	Print head life	150.000.000 Impulse

**Design**

Product colour \*                      Black



8715946696621

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.