

## Epson TM-T88VII (112A0): USB, Eth, Serial, PS, Buzz, UK, Black

**Brand :** Epson

**Product code:** C31CJ57112A0

**Product name :** Epson TM-T88VII (112A0): USB, Eth, Serial, PS, Buzz, UK, Black

- Reliable hardware: Backed by our tried and trusted build quality
- High performance: Max print speed 500mm/s
- Connectivity and interface options: USB, Ethernet, USB Host as standard; serial, PoweredUSB, options
- Backwards compatible: Fully compatible with the existing T88V and T88VI software
- Reduced environmental impacts: Low power consumption, support for Phenol-free paper

Epson TM-T88VII (112A0): USB, Eth, Serial, PS, Buzz, UK, Black

Epson TM-T88VII (112A0): USB, Eth, Serial, PS, Buzz, UK, Black. Print technology: Thermal, Type: POS printer, Maximum resolution: 180 x 180 DPI. Printing media thickness: 48 - 80 µm, Maximum roll diameter: 8.3 cm, Supported paper width: 80 mm. Connectivity technology: Wired & Wireless, USB connector: USB Type-A / USB Type-B, Serial interface type: RS-232. Sound pressure level (printing): 52 dB, Sound pressure level (standby): 52 dB, Mean time between failures (MTBF): 360000 h. Product colour: Black

Printing		Design	
Maximum resolution	180 x 180 DPI	Product colour *	Black
Print speed	500 mm/sec	Power	
Character size	1.41 x 3.39 mm	Power consumption (printing)	27.9 W
Printing characters	Text, Graphic, Barcode, 2D barcode	AC input voltage	24 V
Character sets	ANK	Power consumption	27900 mA
Print technology *	Thermal	Power consumption (standby)	1400 mA
Type *	POS printer	Power consumption (standby)	1.4 W
Paper handling		Operational conditions	
Printing media thickness	48 - 80 µm	Operating temperature (T-T)	5 - 45 °C
Maximum roll diameter	8.3 cm	Operating relative humidity (H-H)	10 - 90%
Supported paper width	80 mm	Storage relative humidity (H-H)	10 - 90%
Media thickness	48 - 80 mm	System requirements	
Ports & interfaces		Pre-installed software	Server Direct Print, ePOS-Device, ePOS-Display, ePOS-Print
USB port *	✓	Weight & dimensions	
USB connector	USB Type-A / USB Type-B	Width	145 mm
Serial interface *	✓	Depth	195 mm
Serial interface type	RS-232	Height	148 mm
Connectivity technology *	Wired & Wireless	Weight	1.7 kg
Near Field Communication (NFC)	✓	Packaging data	
Optional connectivity	Wireless LAN	Quantity per pack	1 pc(s)
Network		Package width	195 mm
Ethernet LAN *	✓	Package depth	235 mm
Features		Package height	260 mm
Sound pressure level (printing)	52 dB	Package weight	2.7 kg
Sound pressure level (standby)	52 dB	Print technology	
Mean time between failures (MTBF)	360000 h	Column capacity	42/56
Autocutter durability	3 million cuts	Logistics data	
Paper save function	✓	Pallet weight (UK)	0 g
Print head life	200 km	Harmonized System (HS) code	84433210
Country of origin	Philippines	Products per pallet	112 pc(s)
Mounting position	Horizontal/Vertical	Pallet gross weight	0 g
Wall mountable	✓	Products per pallet (UK)	168 pc(s)
Built-in sensors details	Paper End Sensor, Paper Near End Sensor, Cover Open Sensor, Receipt paper sensor	Technical details	
Certification	CE	Changeable interface	✓

**Technical details**

Lifetime	20000000 lines
----------	----------------

**Other features**

Buffer size	4 KB
-------------	------

Mean cycles between failures (MCBF)	70000000
-------------------------------------	----------



8715946697109

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.