Epson TM-T88VII (132) 180 x 180 DPI Wired & Wireless Thermal POS printer

Brand : Epson **Product code:** C31CJ57132

Product name: TM-T88VII (132)

- Reliable hardware Backed by our tried and trusted build quality
- High performance Max print speed 500mm/s
- Connectivity and interface options USB, Ethernet, USB Host as standard; serial, PoweredUSB, options
- Backwards compatible Fully compatible with the existing T88V and T88VI software
- Reduced environmental impacts Low power consumption, support for Phenol-free paper

TM-T88VII (132): USB, Ethernet, PoweredUSB, Black

Epson TM-T88VII (132). Print technology: Thermal, Type: POS printer, Maximum resolution: 180×180 DPI. Printing media thickness: 48 - $80 \mu m$, Maximum roll diameter: 8.3 cm, Supported paper width: 80 mm. Connectivity technology: Wired & Wireless, USB connector: USB Type-A / USB Type-B, Optional connectivity: Wireless LAN. Sound pressure level (printing): 52 dB, Sound pressure level (standby): 52 dB, Mean time between failures (MTBF): 360000 h. Product colour: Black





Printing		Power	
Maximum resolution Print speed Character size Printing characters Character sets Print technology *	180 x 180 DPI 500 mm/sec 1.41 x 3.39 mm Text, Graphic, Barcode, 2D barcode ANK Thermal	Power source type * Power consumption (printing) AC input voltage Power consumption Power consumption (standby) Power consumption (standby)	USB 27.9 W 24 V 27900 mA 1400 mA 1.4 W
Type *	POS printer	Operational conditions	
Paper handling Printing media thickness Maximum roll diameter Supported paper width	48 - 80 μm 8.3 cm 80 mm	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	5 - 45 °C -10 - 50 °C 10 - 90% 10 - 90%
Media thickness	48 - 80 mm	System requirements	
Ports & interfaces USB port *	✓	Pre-installed software	Server Direct Print, ePOS-Device, ePOS-Display, ePOS-Print
USB connector	USB Type-A / USB Type-B	Weight & dimensions	
Connectivity technology * Near Field Communication (NFC) Optional connectivity Network	Wired & Wireless ✓ Wireless LAN	Width Depth Height Weight	145 mm 195 mm 148 mm 1.7 kg
Ethernet LAN *	√	Packaging data	
Features Sound pressure level (printing) 52 dB Sound pressure level (standby) 52 dB Mean time between failures (MTBF) 360000 h	Quantity per pack Package width Package depth	1 pc(s) 195 mm 235 mm	
		Package height Package weight	260 mm 2.22 kg
Paper save function	✓	Print technology	
		Column capacity	42/56

Features		Logistics data	
Print head life	200 km	Pallet weight (UK)	0 g
Country of origin	Philippines	Harmonized System (HS) code	84433210
Mounting position	Horizontal/Vertical	Products per pallet	112 pc(s)
Wall mountable	✓	Pallet gross weight	0 g
Built-in sensors details	Paper End Sensor, Paper Near End	Products per pallet (UK)	168 pc(s)
	Sensor, Cover Open Sensor, Receipt paper sensor	Technical details	
Certification	CE	Changeable interface	✓
Design		Lifetime	20000000 lines
Product colour *	Black	Other features	
		Buffer size	4 KB
		Mean cycles between failures (MCBF)	70000000



8715946697123

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.