Epson TM-T88VII 180 x 180 DPI Wired & Wireless Thermal POS printer

Brand : Epson **Product code:** C31CJ57152

Product name: TM-T88VII

- Reliable hardware
- High performance
- Reduced environmental impacts

52 dB (A), Black


Epson TM-T88VII. Print technology: Thermal, Type: POS printer, Maximum resolution: 180 x 180 DPI. Maximum roll diameter: 8.3 cm, Supported paper width: 80 mm, Media thickness: 48 - 80 mm. Connectivity technology: Wired & Wireless, USB connector: USB Type-A / USB Type-B, Optional connectivity: Wireless LAN. Sound pressure level (printing): 52 dB, Sound pressure level (standby): 52 dB, Mean time between failures (MTBF): 360000 h. Product colour: Black





Printing		Power	
Maximum resolution Print speed Character size Printing characters Character sets	180 x 180 DPI 500 mm/sec 1.41 x 3.39 mm Text, Graphic, Barcode, 2D barcode ANK	Power consumption (printing) AC input voltage Power consumption Power consumption (standby) Power consumption (standby)	28.6 W 24 V 28600 mA 1400 mA 1.4 W
Print technology * Type *	Thermal POS printer	Operational conditions	
Paper handling Maximum roll diameter Supported paper width	8.3 cm 80 mm	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	5 - 45 °C -10 - 50 °C 10 - 90% 10 - 90%
Media thickness	48 - 80 mm	System requirements	
Ports & interfaces USB port *	,	Pre-installed software	Server Direct Print, ePOS-Device, ePOS-Display, ePOS-Print
USB connector	USB Type-A / USB Type-B	Weight & dimensions	
Connectivity technology * Near Field Communication (NFC) Optional connectivity Network	Wired & Wireless ✓ Wireless LAN	Width Depth Height Weight	145 mm 195 mm 148 mm 1.7 kg
Ethernet LAN *	/	Packaging data	
Features	•	Quantity per pack Package width	1 pc(s) 195 mm
Sound pressure level (printing) Sound pressure level (standby) Mean time between failures (MTBF)	ound pressure level (standby) 52 dB lean time between failures (MTBF) 360000 h utocutter durability 3 million cuts	Package depth Package height Package weight	235 mm 260 mm 2.7 kg
Paper save function		Print technology	
Print head life	200 km	Column capacity	42/56

Features		Logistics data	
Country of origin	Philippines	Pallet weight (UK)	0 g
Mounting position	Horizontal/Vertical	Harmonized System (HS) code	84433210
Wall mountable	✓	Products per pallet	112 pc(s)
Built-in sensors details	Paper End Sensor, Paper Near End Sensor, Cover Open Sensor, Receipt paper sensor	Pallet gross weight Products per pallet (UK)	0 g 168 pc(s)
Certification	CE	Technical details	
Design		Lifetime	20000000 lines
Product colour *	Black	Other features	
		Buffer size	4 KB
		Mean cycles between failures (MCBF)	70000000



8715946697192

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.