



## Lenovo ThinkVision P27u-20 computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LED Black



**Brand :** Lenovo

**Product family:** ThinkVision

**Product code:** 62CBRAR6US

**Product name :** P27u-20

- 68.6cm (27") 4K Ultra HD 3840 x 2160 W-LED IPS  
- 6ms, 16:9, 450cd/m<sup>2</sup>, 1000:1  
- USB, HDMI, DisplayPort


68.6cm (27") 4K Ultra HD 3840 x 2160 W-LED IPS, 16:9, 450cd/m<sup>2</sup>, 1.07B, 6ms, 178°/178°  
Lenovo ThinkVision P27u-20. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Response time: 6 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black

Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	DisplayPort version	1.2
Display resolution *	3840 x 2160 pixels	Audio output	✓
HD type *	4K Ultra HD	Headphone out *	✗
Native aspect ratio *	16:9	AC (power) in	✓
Display technology *	LED	Ergonomics	
Panel type *	IPS	VESA mounting *	✓
Backlight type	W-LED	Panel mounting interface	100 x 100 mm
Touchscreen *	✗	Cable lock slot *	✓
Display brightness (typical)	450 cd/m <sup>2</sup>	Cable lock slot type	Kensington
Response time *	6 ms	Height adjustment *	✓
Anti-glare screen	✓	Adjustable height (max)	13.5 cm
Screen shape *	Flat	Pivot	✓
Supported graphics resolutions	3840 x 2160	Pivot angle	-90 - 90°
Aspect ratio	16:9	Swivelling	✓
Contrast ratio (typical) *	1000:1	Swivel angle range	-45 - 45°
Contrast ratio (dynamic)	3000000:1	Tilt adjustment	✓
Maximum refresh rate *	60 Hz	Tilt angle range	-5 - 35°
Viewing angle, horizontal	178°	On Screen Display (OSD)	✓
Viewing angle, vertical	178°	Power	
Display number of colours *	1.07 billion colours	Energy efficiency class (SDR) *	F
Response time (fast)	4 ms	Energy efficiency class (HDR) *	G
Pixel pitch	0.1554 x 0.1554 mm	Energy consumption (SDR) per 1000 hours *	26 kWh
Pixel density	163 ppi	Energy consumption (HDR) per 1000 hours *	47 kWh
Viewable size, horizontal	59.7 cm	Power consumption (typical) *	35 W
Viewable size, vertical	33.6 cm	Power consumption (standby) *	0.5 W
Display diagonal (metric)	68.58 cm	Power consumption (max)	240 W
High Dynamic Range (HDR) supported	✓	Power consumption (off)	0.3 W
High Dynamic Range (HDR) technology	DisplayHDR 400	AC input voltage	100 - 240 V
Colour depth	10 bit	AC input frequency	50 - 60 Hz
Colour gamut standard	DCI-P3	Power supply type	Internal
Colour gamut	99.1%	Energy efficiency scale	A to G
sRGB coverage (typical)	100%	Weight & dimensions	
Adobe RGB coverage	99.5%	Width (with stand)	613.8 mm
Multimedia			
Number of speakers	2		
RMS rated power	3 W		

Multimedia		Weight & dimensions	
Built-in speaker(s) *	✓	Depth (with stand)	219 mm
Built-in microphone	✗	Height (with stand)	556.4 mm
Built-in camera *	✓	Weight (with stand)	8 kg
Design		Width (without stand)	613.8 mm
Market positioning *	Business	Depth (without stand)	52.9 mm
Product colour *	Black	Height (without stand)	368.8 mm
Colour name	Raven Black	Weight (without stand)	5.4 kg
Detachable stand	✓	Bezel width (side)	2 mm
Feet colour	Black	Bezel width (top)	2 mm
		Bezel width (bottom)	2.36 cm
Ports & interfaces		Packaging data	
Built-in USB hub *	✓	Package width	732 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package depth	187 mm
USB upstream port type	USB Type-B	Package height	510 mm
Number of USB Type-B upstream ports quantity	2	Package weight	12.8 kg
USB Type-A downstream ports quantity	3	Package type	Box
USB Type-C downstream ports quantity	1	Packaging content	
USB Power Delivery up to	100 W	Stand included	✓
HDMI *	✓	Cables included	AC, Thunderbolt, USB Type-A to USB Type-B
HDMI ports quantity	2	Quick start guide	✓
HDMI version	2.0	Power cable length	1.8 m
DisplayPorts quantity	1	Sustainability	
		Sustainability certificates	ENERGY STAR, EPEAT Gold, TCO
		Other features	
		Compliance certificates	RoHS
		Certification	CCC, China Energy Efficiency Standard Tier 1, TÜV Rheinland Eye Comfort



0195713542920



195713542920

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.