

## TP-Link TL-SG1008MP mrežni prekidač Neupravljano Gigabit Ethernet (10/100/1000) Podrška za napajanje putem Etherneteta (PoE) Crno



**Brend :** TP-Link

**Kod proizvoda:** TL-SG1008MP

**Ime proizvoda :** TL-SG1008MP

TP-Link TL-SG1008MP. Tip preklopnika: Neupravljano. Tip RJ-45 Ethernet priključaka za osnovno preklapanje: Gigabit Ethernet (10/100/1000), Količina RJ-45 Ethernet priključaka za osnovno preklapanje: 8. MAC adresna tablica: 4000 unosi, Kapacitet razdjelnika: 16 Gbit/s. Mrežni standard: IEEE 802.3af, IEEE 802.3at, IEEE 802.3x. Podrška za napajanje putem Etherneteta (PoE). Montaža u poslužiteljski ormar

Značajke za upravljanje		Radni uvjeti	
Tip preklopnika *	Neupravljano	Raspon radne temperature (T-T)	0 - 40 °C
<b>Priključci i sučelja</b>		Dozvoljeni raspon temperatura za skladištenje (T-T)	-40 - 70 °C
Količina RJ-45 Ethernet priključaka za osnovno preklapanje *	8	Opseg relativne vlažnosti pri radu (H-H)	10 - 90%
Tip RJ-45 Ethernet priključaka za osnovno preklapanje *	Gigabit Ethernet (10/100/1000)	Raspon relativne vlažnosti pri skladištenju	5 - 90%
<b>Mreža</b>		Disipacija topline	492,6 BTU/h
Mrežni standard *	IEEE 802.3af, IEEE 802.3at, IEEE 802.3x	<b>Težina i dimenzije</b>	
10G podrška *	✗	Širina	294 mm
Automatski MDI/MDI-X	✓	Dubina	180 mm
Automatsko posredovanje	✓	Visina	44 mm
<b>Prijenos podataka</b>		<b>Sadržaj ambalaže</b>	
Kapacitet razdjelnika *	16 Gbit/s	Priloženi kabeli	AC
MAC adresna tablica *	4000 unosi	Korisnički vodič	✓
Pohrani i proslijedi	✓	Komplet za postavljanje stalka	✓
Međuspremnik za pakete	1,5 MB	<b>Tehničke pojedinosti</b>	
<b>Dizajn</b>		Visina kutije za slanje	1 mm
Montaža u poslužiteljski ormar *	✓	Širina kutije za slanje	1 mm
Boja proizvoda	Crno	Duljina kutije za slanje	1 mm
Broj ventilatora	1 ventilator	Neto težina kutije	1 g
<b>Učinak</b>		Količina po kutiji za slanje	1 kom
Prosječno vrijeme između dva kvara (MTBF)	1 h	Broj kutija po sloju palete	1 kom
MTBF (PoE)	1 h	Broj redova po paleti (zrak)	1 kom
Sustav automatskog praćenja klasifikacije robe (CCATS)	11	Broj redova po paleti (more)	1 kom
Minimalni sistemski zahtjevi	1	Bruto težina paleta (zrak)	1 g
<b>Napajanje</b>		Broj kutija po paleti (zrak)	11 kom
Uključeno napajanje *	✓	Količina po paleti (zrak)	1 kom
Ulazni napon izmjenične struje	100 - 240 V	Duljina palete	1 mm
		Širina palete	1 mm
		Visina paleta (zrak)	1 mm
		Bruto težina paleta (more)	1 g
		Broj kutija po paleti (more)	1 kom

Napajanje		Tehničke pojedinosti	
Ulazna frekvencija izmjenične struje	50 - 60 Hz	Količina po paleti (more)	11 kom
Potrošnja energije (tipično)	140,1 W	Količina po paleti (more)	1 mm
Potrošnja električne energije (maks)	144,4 W	Težina kutije za slanje	1 g
Napajanje putem Ethernet (PoE)		Certifikati	
Podrška za napajanje putem Ethernet (PoE) *	✓	Certifikacija	FCC, CE, RoHS
Broj priključaka napajanja preko Ethernet (PoE+)	8	Logistički podaci	
		Šifra harmoniziranog sustava (HS)	85176990



1210002616683



1210002616676

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.