



Lindy 38345 moltiplicatore AV Trasmettitore e ricevitore AV Nero

Marchio : Lindy

Codice prodotto: 38345

Nome del prodotto : 38345

Lindy 38345. Tipo: Trasmettitore e ricevitore AV, Risoluzione massima: 3840 x 2160 Pixel, Tipi di cavi supportati: Cat6. Tecnologia di connessione: Cablato. Tipologia alimentazione: AC, Tensione di ingresso AC: 100 - 240 V, Frequenza di ingresso AC: 50/60 Hz. Larghezza: 440 mm, Profondità: 200 mm, Altezza: 45 mm. Larghezza imballo: 510 mm, Profondità imballo: 401 mm, Altezza imballo: 98 mm



Caratteristiche		Connettività	
Tipo *	Trasmettitore e ricevitore AV	Ingresso 3.5 mm	✓
Risoluzione massima *	3840 x 2160 Pixel	Uscita 3.5 mm	✓
Tipi di cavi supportati	Cat6	Uscite audio RCA	4
Distanza massima di trasferimento	150 m	Gestione energetica	
High Dynamic Range (HDR) supportato	✓	Tipologia alimentazione	AC
Gestione EDID	✓	Tensione di ingresso AC	100 - 240 V
Pass-through HDCP	✓	Frequenza di ingresso AC	50/60 Hz
Intervallo di frequenza a infrarossi (IR)	20 - 60 kHz	Alimentazione	60 W
Modalità video supportate	1080p	Condizioni ambientali	
Ampiezza banda	18 Gbit/s	Intervallo temperatura di funzionamento	0 - 40 °C
Formati audio supportati	LPCM	Intervallo di temperatura	-20 - 60 °C
Interruttore On/Off	✓	Range di umidità di funzionamento	20 - 90%
HDCP	✓	Dimensioni e peso	
Materiali	Metallo	Larghezza	440 mm
Rapporto segnale/rumore (SNR)	90 dB	Profondità	200 mm
versione HDCP	2.2	Altezza	45 mm
Colore del prodotto	Nero	Peso	5,31 kg
Certificazione	California Proposition 65	Dimensi ricevitore (W x D x H)	140 x 65 x 18 mm
Connettività		Dati su imballaggio	
Tecnologia di connessione *	Cablato	Larghezza imballo	510 mm
Porte di uscita RJ-45	4	Profondità imballo	401 mm
Porta HDBaseT	✓	Altezza imballo	98 mm
Ingressi HDMI	4	Peso dell'imballo	6,33 kg
Numero di uscite HDMI	5	Tipo di imballo	Scatola
Versione HDMI	2.0		
Porte di ingresso RS-232	2		

Connettività		Contenuto dell'imballo	
Uscita audio digitale coassiale	4	Manuale dell'utente	✓
Uscita (L, R) audio	4		
		Dettagli tecnici	
		Conformità alla sostenibilità	✓
		Durata della garanzia	2 anno/i
		Certificati di conformità	CE, Federal Communications Commission (FCC), REACH, RoHS, UKCA



4002888383455

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.