



## Lindy 36921 cavo e adattatore video 1 m DisplayPort HDMI tipo A (Standard) Nero

**Marchio :** Lindy

**Codice prodotto:** 36921

**Nome del prodotto :** 36921

- Connessione di una sorgente DisplayPort ad un display o proiettore HDMI 4K UHD
  - Supporta risoluzioni fino a 3840x2160@30Hz
  - Supporta le modalità video mirroring e desktop esteso
  - Audio passante se supportato dai dispositivi connessi
- Cavo DisplayPort a HDMI 10.2G, 1m

Lindy 36921 cavo e adattatore video 1 m DisplayPort HDMI tipo A (Standard) Nero:

### Descrizione

Cavo adattatore per collegare una sorgente come Notebook o PC con uscita video DisplayPort ad un monitor o TV HDMI ad alte risoluzioni, fino a 4K

Lindy 36921. Lunghezza cavo: 1 m, Connettore 1: DisplayPort, Connettore 2: HDMI tipo A (Standard).

Certificazione: CE, UKCA, FCC, RoHS, REACH, UL, California Proposition 65. Diametro del cavo: 7,3 mm, Dimensioni del connettore 1 (LxPxA): 36,4 x 20,5 x 9,4 mm, Dimensioni del connettore 2 (LxPxA): 37,5 x 20,5 x 10,5 mm. Tipo di imballo: Sacchetto di polietene. Quantità per pacco: 1 pz



Features		Features	
Connector 1 form factor	Straight	AWG wire size	28
Connector 2 form factor	Straight	Colour depth	8 bit
Connector contacts plating	Gold	Colour sampling	4:4:4
Cable length *	1 m	Cable shielding	Aluminium braid
Connector 1 *	DisplayPort	<b>Operational conditions</b>	
Connector 2 *	HDMI Type A (Standard)	Operating temperature (T-T)	0 - 45 °C
Connector 1 gender *	Male	Storage temperature (T-T)	-10 - 80 °C
Connector 2 gender *	Male	<b>Certificates</b>	
HDMI version	1.4	Certification	CE, UKCA, FCC, RoHS, REACH, UL, California Proposition 65
DisplayPort version	1.2	<b>Weight &amp; dimensions</b>	
Maximum resolution	3840 x 2160 pixels	Cable diameter	7.3 mm
Supported video modes	1080p	Connector 1 dimensions (WxDxH)	36.4 x 20.5 x 9.4 mm
Data transfer rate	10.2 Gbit/s	Connector 2 dimensions (WxDxH)	37.5 x 20.5 x 10.5 mm
Bend radius (min)	7.3 cm	<b>Packaging data</b>	
Product colour	Black	Package type	Polybag
Conductor material	Tinned copper	<b>Packaging content</b>	
Nominal attenuation	100MHz~450MHz -2.44~-5.099dB 450MHz~8100MHz -5.094~32.906dB	Quantity per pack	1 pc(s)
Jacket material	Polyvinyl chloride (PVC)	<b>Logistics data</b>	
Cable type	Round cable	Harmonized System (HS) code	84733080
Connector housing material	Polyvinyl chloride (PVC) / Acrylonitrile butadiene styrene (ABS)		
Contact material	Copper		



4002888369213

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-APR-2025. Prints or copies of Information are only valid on the printed Publication date