

Lindy 43349 replicatore di porte e docking station per laptop Cablato USB 3.2 Gen 1 (3.1 Gen 1) Type-C Argento

Marchio : Lindy

Codice prodotto: 43349

Nome del prodotto : 43349



- Collega un display HDMI e/o fino a 2 DisplayPort, periferiche USB e alimentazione tramite un singolo cavo
- Supporta 5K 60Hz per un singolo display DisplayPort o 4K 60Hz per un singolo display HDMI
- Hub USB SuperSpeed 5Gbps a 4 porte integrato (3 tipo A, 1 tipo C)
- USB Power Delivery fino a 100W
Docking Station per Laptop con USB 3.2 Tipo C - 5K DP, HDMI, Power Delivery 3.0 100W, USB 3.2 Gen 1 Gigabit, SD, MicroSD, Audio
Lindy 43349. Tecnologia di connessione: Cablato, Interfaccia host: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, Fornitura di alimentazione USB fino a: 100 W. Velocità trasferimento Ethernet LAN: 10,100,1000 Mbit/s. Colore del prodotto: Argento, Tipi schede di memoria: MicroSD (TransFlash), SD, Velocità di trasferimento dati: 5 Gbit/s. Tipologia alimentazione: dC, Connettore di alimentazione: USB tipo-C, Voltaggio di uscita: 20 V. Larghezza: 180 mm, Profondità: 77 mm, Altezza: 18 mm

Ports & interfaces		Performance	
Connectivity technology *	Wired	Plug and Play	✓
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Housing material	Aluminium
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Power	
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Power source type	DC
USB Power Delivery (USB PD)	✓	Power connector	USB Type-C
USB Power Delivery revision	3.0	Output voltage	20 V
USB Power Delivery up to	100 W	Output current	5 A
HDMI ports quantity *	1	Power consumption (max)	24 W
HDMI version	2.0	Operational conditions	
DisplayPorts quantity	2	Operating temperature (T-T)	-20 - 40 °C
DisplayPort version	1.4	Storage temperature (T-T)	-40 - 80 °C
Combo headphone/mic port	✓	Operating relative humidity (H-H)	5 - 90%
HDCP	✓	Storage relative humidity (H-H)	5 - 90%
HDCP version	2.2	Weight & dimensions	
USB Type-C DisplayPort Alternate Mode	✓	Width	180 mm
Network		Depth	77 mm
Ethernet LAN *	✓	Height	18 mm
Ethernet LAN (RJ-45) ports	1	Weight	439 g
Ethernet LAN data rates	10,100,1000 Mbit/s	Packaging data	
Wake-on-LAN ready	✓	Quantity per pack	1 pc(s)
Performance		Package width	200 mm
Card reader integrated *	✓	Package depth	120 mm
Compatible memory cards	MicroSD (TransFlash), SD	Package height	70 mm
Data transfer rate	5 Gbit/s	Package weight	780 g
Maximum digital resolution	7680 x 4320 pixels	Packaging content	
		Cables included	USB Type-C

Performance

Maximum refresh rate	60 Hz
Product colour *	Silver

Packaging content

Manual	✓
--------	---

Technical details

Compliance certificates	CE, REACH, RoHS
-------------------------	-----------------



4002888433495

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-APR-2025. Prints or copies of Information are only valid on the printed Publication date