



USB 3.0 Type-C Device Cable

USB-C Male to USB-C Male, 2 m (6 ft.), SuperSpeed USB (USB 3.2 Gen 1), 5 Gbps, 60 W / 3 A, 4K@60Hz, Black

Part No.: 354905

EAN-13: 0766623354905 | UPC: 766623354905

Manhattan SuperSpeed USB Type-C Cables easily connect USB Type-C peripherals and accessories to Type-C device ports. Ideal for use with any USB Type-C plug-and-play device, this cable support data transfer rates of up to 5 Gbps on Windows and Mac systems for fast, reliable transmissions and current of up to 3 amps. Nickel-plated contacts, shielding and fully molded boots with strain relief provide dependable connections, maximum conductivity and minimal data loss with reduced EMI interference.

Features:

- USB Type-C male to Type-C male
- Connects a USB 3.0 SuperSpeed Type-C device to a SuperSpeed Type-C port
- Supports speeds of up to 5 Gbps
- Supports USB Power Delivery (PD) and Quick Charge™ (QC) up to 60 W
- Charges a USB-C powered device such as a notebook, Macbook Pro® or tablet from a USB-C PD wall charger or powerbank
- USB-C compliance with DisplayPort 1.2 Alternate Mode (DP Alt Mode) for resolutions up to 4K@60Hz on supported devices and displays
- Thunderbolt 3 compatible
- Supports current of up to 3 A
- SuperSpeed USB for ultra-fast data transfer rates and zero data degradation
- Lifetime Warranty

Specifications:

Standards and Certifications



manhattan-products.com

- UL 2725
- USB 3.2 Gen 1 (USB 3.0)

Connectors


- Two USB-C males
- Nickel plated
- Molded PVC boot

Cable

- Shielded
- Withstanding voltage: 300 VDC 10 ms
- Insulation resistance: 10 MOhm min.
- Contact resistance: 2 Ohm max.
- Thermal plastic casing

Package Contents

• USB 3.0 Type-C Device Cable









manhattan-products.com

