

Delock 10 Gigabit PoE+ Injector 802.3at 30 W

Description

This **Power over Ethernet** injector by Delock can supply power via a network cable to a PoE-enabled device, such as an IP camera or a PoE splitter. The injector is connected between the network switch and the PoE device (PD) and provides the device with up to **30 watts** of power and 10 Gbps Ethernet. The compact size and integrated wall mounting enable space-saving installation.



Item no. 87766

EAN: 4043619877669

Country of origin: China

Package: White Box

Technical details

- Connectors:
 - 1 x RJ45 jack
 - 1 x RJ45 jack PoE
 - 1 x IEC C14 connector
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.6 A
- Output: DC 52 V / 0.58 A (30 W)
- Data transfer rate:
 - Ethernet up to 10 Mbps
 - Fast Ethernet up to 100 Mbps
 - Gigabit Ethernet up to 1 Gbps
 - NBASE-T with up to 2.5 Gbps and 5 Gbps
 - 10 Gigabit Ethernet up to 10 Gbps
- LED indicator for power and PoE
- Supports IEEE 802.3af PoE
- Supports IEEE 802.3at PoE+
- Phantom power (Mode A, pairs 1/2 and 3/6)
- Overload protection
- Short circuit protection
- Wall mounting integrated in the housing
- Stackable

- Dimensions (LxWxH): ca. 145 x 61 x 39 mm


System requirements

- Device with one free RJ45 port

Package content

- PoE injector
- Power cord
- User manual

Images



Interface

Output:	1 x RJ45 female (PoE)
Input:	1 x RJ45 jack

Technical characteristics

Data transfer rate:	Ethernet up to 10 Mbps Fast Ethernet up to 100 Mbps Gigabit Ethernet up to 1 Gbps Gigabit Ethernet up to 10 Gbps
---------------------	---

Physical characteristics

Housing colour:	black
Housing material:	Plastic
Length:	145 mm
Width:	61 mm
Height:	39 mm