



## Lenovo ThinkVision P32p-30 computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD LED Black

**Brand :** Lenovo

**Product family:** ThinkVision

**Product code:** 63D1RAR1US

**Product name :** P32p-30

- 80.0cm (31.5") 4K Ultra HD 3840 x 2160 W-LED IPS

- 6ms, 16:9, 350cd/m<sup>2</sup>, 1000:1

- USB, HDMI, DisplayPort

80.0cm (31.5") 4K Ultra HD 3840 x 2160 W-LED IPS, 16:9, 350cd/m<sup>2</sup>, 1.07B, 6ms, 178°/178°, 1000:1

Lenovo ThinkVision P32p-30. Display diagonal: 80 cm (31.5"), Display resolution: 3840 x 2160 pixels, HD

type: 4K Ultra HD, Display technology: LED, Response time: 6 ms, Native aspect ratio: 16:9, Viewing


angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1

Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Network	
Display diagonal *	80 cm (31.5")	Ethernet LAN	✓
Display resolution *	3840 x 2160 pixels	<b>Ergonomics</b>	
HD type *	4K Ultra HD	VESA mounting *	✓
Native aspect ratio *	16:9	Panel mounting interface	100 x 100 mm
Display technology *	LED	Cable management	✓
Panel type *	IPS	Cable lock slot *	✓
Backlight type	W-LED	Cable lock slot type	Kensington
Touchscreen *	✗	Height adjustment *	✓
Display brightness (typical)	350 cd/m <sup>2</sup>	Adjustable height (max)	15.5 cm
Response time *	6 ms	Pivot	✓
Anti-glare screen	✓	Pivot angle	-90 - 90°
Screen shape *	Flat	Swivelling	✓
Contrast ratio (typical) *	1000:1	Swivel angle range	-45 - 45°
Contrast ratio (dynamic)	3000000:1	Tilt adjustment	✓
Maximum refresh rate *	60 Hz	Tilt angle range	-5 - 23.5°
Viewing angle, horizontal	178°	On Screen Display (OSD)	✓
Viewing angle, vertical	178°	<b>Power</b>	
Display number of colours *	1.07 billion colours	Energy efficiency class (SDR) *	F
Response time (fast)	4 ms	Energy efficiency class (HDR) *	G
Pixel pitch	0.182 x 0.182 mm	Energy consumption (SDR) per 1000 hours *	32 kWh
Pixel density	140 ppi	Energy consumption (HDR) per 1000 hours *	52 kWh
Viewable size, horizontal	69.7 cm	Power consumption (typical) *	29.5 W
Viewable size, vertical	39.2 cm	Power consumption (standby) *	0.5 W
Colour depth	10 bit	Power consumption (max)	193.7 W
Colour gamut standard	DCI-P3	Power consumption (off)	0.5 W
Colour gamut	95%		
sRGB coverage (typical)	100%		

Performance		Power	
NVIDIA G-SYNC *	✗	AC input voltage	100 - 240 V
AMD FreeSync *	✗	AC input frequency	50 - 60 Hz
Low Blue Light technology	✓	Power supply type	Internal
<b>Multimedia</b>		Energy efficiency scale	A to G
Built-in speaker(s) *	✗	Weight & dimensions	
Built-in camera *	✗	Width (with stand)	714.2 mm
Design		Depth (with stand)	234.6 mm
Product colour *	Black	Height (with stand)	599.5 mm
Colour name	Raven Black	Weight (with stand)	10.1 kg
Detachable stand	✓	Width (without stand)	714.2 mm
Feet colour	Black	Depth (without stand)	59.5 mm
<b>Ports &amp; interfaces</b>		Height (without stand)	420.9 mm
Built-in USB hub *	✓	Weight (without stand)	7.2 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Bezel width (side)	2 mm
USB upstream port type	USB Type-B	Bezel width (top)	2 mm
Number of upstream ports	2	Bezel width (bottom)	1.86 cm
Number of USB Type-B upstream ports quantity	1	Packaging data	
USB Type-A downstream ports quantity	4	Package width	950 mm
USB Power Delivery (USB PD)	✓	Package depth	148 mm
USB Power Delivery up to	100 W	Package height	525 mm
HDMI *	✓	Package weight	14.4 kg
HDMI ports quantity	1	Packaging content	
HDMI version	2.0	Stand included	✓
DisplayPorts quantity	1	Cables included	AC, DisplayPort, HDMI, Thunderbolt, USB Type-A to USB Type-B
DisplayPort version	1.4	Quick start guide	✓
Thunderbolt 4 ports quantity	2	DisplayPort cable length	1.8 m
Audio output	✓	HDMI cable length	1.8 m
Headphone out *	✓	Power cable length	1.8 m
Headphone outputs	1	Other features	
Headphone connectivity	3.5 mm	Compatible operating systems	Windows 10, Windows 11
Built-in KVM switch	✓	Certification	ENERGY STAR® Certified, TCO 9.0, TCO Edge 2.0, EPEAT™ Gold, RoHS
AC (power) in	✓		Eyesafe® Display 2.0, TÜV Low Blue Light (Hardware solution), TÜV Rheinland® Eye Comfort



0196801194465



196801194465

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.