

Epson DS-730N Sheet-fed scanner 600 x 600 DPI A4 Black, Grey

Brand : Epson

Product code: B11B259201

Product name : DS-730N

215.9 mm x 6096 mm, A4, CIS, 27 - 413 g/m², LAN, USB 2.0 Type B, 3.6 kg
 Epson DS-730N. Maximum scan size: 215.9 x 6096 mm, Optical scanning resolution: 600 x 600 DPI, Input colour depth: 30 bit. Scanner type: Sheet-fed scanner, Product colour: Black, Grey, Display: LCD. Sensor type: CIS, Daily duty cycle (max): 4500 pages, Light source: ReadyScan LED. Auto document feeder (ADF) input capacity: 100 sheets. Maximum ISO A-series paper size: A4, Scanning media types supported: Business Card, Plastic Card, Post Card(JPN), ISO A-series sizes (A0...A9): A4, A5, A6




Scanning		Ports & interfaces	
Maximum scan size *	215.9 x 6096 mm	USB port *	✓
Optical scanning resolution *	600 x 600 DPI	USB version	2.0
Colour scanning	✓	USB connector type	USB Type-B
Duplex scanning *	✓	Network	
Input colour depth	30 bit	Ethernet LAN	✓
Output colour depth	24 bit	IPv6 support	✓
Input greyscale depth	10 bit	Power	
Output greyscale depth	8 bit	Power supply type *	AC
Output monochrome depth	8 bit	Power consumption (typical)	14 W
ADF scan speed (b/w, A4)	40 ppm	Power consumption (off)	0.1 W
ADF scan speed (colour, A4)	40 ppm	AC input frequency	50 - 60 Hz
Black/white scanning colour modes	Monochrome	Sleep mode	✓
Design		Input voltage	100 - 240 V
Scanner type *	Sheet-fed scanner	Power consumption (sleep)	1.5 W
Product colour *	Black, Grey	Weight & dimensions	
Display	LCD	Width	296 mm
Display diagonal	3.81 cm (1.5")	Depth	169 mm
Colour display	✓	Height	167 mm
Built-in display *	✓	Weight	3.6 kg
Performance		Packaging data	
Sensor type *	CIS	Quantity per pack	1 pc(s)
Light source	ReadyScan LED	Package width	270 mm
Scan file formats	JPEG, PDF, TIFF	Package depth	370 mm
Daily duty cycle (max) *	4500 pages	Package height	320 mm
Scan to	E-mail, FTP, Network folder	Package weight	4.93 kg
Password protection	✓	Packaging content	
Ultrasonic sensor	✓	Cables included	AC
Input capacity		Operational conditions	
Auto document feeder (ADF) input capacity	100 sheets	Operating temperature (T-T)	5 - 35 °C
Paper handling		Storage temperature (T-T)	25 - 60 °C
Scanning media types supported	Business Card, Plastic Card, Post Card(JPN)	Operating relative humidity (H-H)	15 - 80%
		Storage relative humidity (H-H)	15 - 85%

Paper handling		Other features	
Maximum ISO A-series paper size *	A4	Output resolutions	75, 100, 150, 200, 240, 300, 600, 1200 dpi
ISO A-series sizes (A0...A9)	A4, A5, A6	Image formats supported	BMP, JPEG, TIFF, PNG
ISO B-series sizes (B0...B9)	B4, B5, B6	Cabling technology	10/100/1000Base-T(X)
Letter	✓	Logistics data	
Legal	✓	Products per pallet	48 pc(s)
Auto Document Feeder (ADF) media weight	27 - 413 g/m ²	Country of origin	Indonesia
		Pallet gross weight	0 g
		Products per pallet (UK)	60 pc(s)
		Pallet weight (UK)	0 g



0010343953529



010343953529

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.