

## Epson TM-M30II-SL (511) 203 x 203 DPI Wired Direct thermal POS printer

**Brand :** Epson

**Product code:** C31CH63511

**Product name :** TM-M30II-SL (511)

- All-in-one POS solution: Printer and tablet stand
- Discreet design: Stylish, practical design with small footprint and clean lines
- Flexibility: Virtually all tablet devices to be securely fixed in place
- Enhanced connectivity: A rich set of connectivity features and options
- Reliability: Epson's tried and trusted build quality

Thermal Line, 250 mm/sec, 203 DPI, Ethernet, Display

Epson TM-M30II-SL (511). Print technology: Direct thermal, Type: POS printer, Maximum resolution: 203 x 203 DPI. Maximum roll diameter: 8.3 cm, Supported paper width: 58 mm - 80 mm (Breite).

Connectivity technology: Wired, USB connector: USB Type-A / USB Type-B. Sound pressure level (printing): 55 dB, Mean time between failures (MTBF): 360000 h, Autocutter durability: 2.2 million cuts.

Product colour: White



<b>Printing</b>		<b>Power</b>	
Maximum resolution	203 x 203 DPI	Power source type *	AC
Print speed	250 mm/sec	AC adapter model	PS-180
Print speed (receipt)	250 mm/sec	Power plug type	Type C
Printing characters	Text, Graphic, Barcode	<b>Operational conditions</b>	
Character sets	ANSI	Operating temperature (T-T)	5 - 45 °C
Print technology *	Direct thermal	Storage temperature (T-T)	-20 - 60 °C
Type *	POS printer	Operating relative humidity (H-H)	10 - 90%
<b>Paper handling</b>		Storage relative humidity (H-H)	10 - 90%
Maximum roll diameter	8.3 cm	<b>Weight &amp; dimensions</b>	
Supported paper width	58 mm - 80 mm (Breite)	Width	140 mm
<b>Ports &amp; interfaces</b>		Depth	214 mm
USB port *	✓	Height	255 mm
USB 2.0 ports quantity	4	Weight	2.9 kg
USB connector	USB Type-A / USB Type-B	<b>Packaging data</b>	
Serial interface *	✗	Quantity per pack	1 pc(s)
Connectivity technology *	Wired	Package width	390 mm
<b>Network</b>		Package depth	410 mm
Ethernet LAN *	✓	Package height	245 mm
<b>Features</b>		Package weight	5.04 kg
Sound pressure level (printing)	55 dB	<b>Print technology</b>	
Mean time between failures (MTBF)	360000 h	Column capacity	48/57
Cutter	✓	<b>Logistics data</b>	
Half-cutter	✓	Pallet weight (UK)	0 g
Autocutter durability	2.2 million cuts	Harmonized System (HS) code	84433210
Tablet charge & sync	✓	Products per pallet (UK)	32 pc(s)
Print head life	150 km		

Features		Technical details	
Country of origin	Philippines	Font styles	ANK
Mounting position	Vertical	Lifetime	17000000 lines
Built-in sensors details	Paper End Sensor, Paper Near End Sensor	<b>Other features</b>	
<b>Design</b>		Buffer size	12 KB
Product colour *	White	Mean cycles between failures (MCBF)	65000000
Built-in display	✓	Print head life	150.000.000 Impulse



8715946696614

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.